

Product datasheet for RC222692L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CAMKK2 (NM_006549) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: CAMKK2 (NM_006549) Human Tagged ORF Clone Lentiviral Particle

Symbol: CAMKK2

Synonyms: CAMKK; CAMKKB

Mammalian Cell

Selection:

Puromycin

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM_006549

ORF Size: 1764 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC222692).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 006549.3, NP 006540.3

 RefSeq Size:
 5620 bp

 RefSeq ORF:
 1767 bp

 Locus ID:
 10645

 UniProt ID:
 Q96RR4

 Cytogenetics:
 12q24.31

Domains: pkinase, TyrKc, S_TKc

Protein Families: Druggable Genome, Protein Kinase, Transcription Factors





CAMKK2 (NM_006549) Human Tagged ORF Clone Lentiviral Particle - RC222692L3V

Protein Pathways: Adipocytokine signaling pathway

MW: 64.6 kDa

Gene Summary: The product of this gene belongs to the Serine/Threonine protein kinase family, and to the

Ca(2+)/calmodulin-dependent protein kinase subfamily. The major isoform of this gene plays a role in the calcium/calmodulin-dependent (CaM) kinase cascade by phosphorylating the downstream kinases CaMK1 and CaMK4. Protein products of this gene also phosphorylate AMP-activated protein kinase (AMPK). This gene has its strongest expression in the brain and influences signalling cascades involved with learning and memory, neuronal differentiation and migration, neurite outgrowth, and synapse formation. Alternative splicing results in multiple transcript variants encoding distinct isoforms. The identified isoforms differ in their ability to undergo autophosphorylation and to phosphorylate downstream kinases. [provided

by RefSeq, Jul 2012]