

Product datasheet for RC222822L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Ancient ubiquitous protein 1 (AUP1) (NM_181575) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Ancient ubiquitous protein 1 (AUP1) (NM_181575) Human Tagged ORF Clone Lentiviral

Particle

Symbol: Ancient ubiquitous protein 1

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_181575 **ORF Size:** 1230 bp

ORF Nucleotide

1230 bp

Sequence:

The ORF insert of this clone is exactly the same as(RC222822).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 181575.2</u>

RefSeq Size: 1561 bp
RefSeq ORF: 1233 bp
Locus ID: 550
UniProt ID: Q9Y679

Cytogenetics: 2p13.1

Protein Families: Druggable Genome, Transmembrane

MW: 45.6 kDa





Gene Summary:

The protein encoded this gene is involved in several pathways including quality control of misfolded proteins in the endoplasmic reticulum and lipid droplet accumulation. Lipid droplets are organelles in the cytoplasm that store neutral lipids such as cholesterol esters and trigylycerides to prevent the overabundance of free cholesterol and fatty acids in cells, but also to act as storage for other metabolic processes, such as membrane biogenesis. Reduced expression of this gene results in reduced lipid droplet clustering, a function that is dependent on ubiquitination of the protein. This protein contains multiple domains including a hydrophobic N-terminal domain, an acetyltranferase domain, a ubiquitin-binding CUE domain, and a UBE2B2-binding domain (G2BR). Alternative splicing results in multiple transcript variants. [provided by RefSeq, Nov 2014]