

## Product datasheet for RC222840L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CYP27B1 (NM\_000785) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** CYP27B1 (NM\_000785) Human Tagged ORF Clone Lentiviral Particle

Symbol: CYP27B1

Synonyms: CP2B; CYP1; CYP1alpha; CYP27B; P450c1; PDDR; VDD1; VDDR; VDR

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_000785 **ORF Size:** 1524 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC222840).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 000785.3

 RefSeq Size:
 2503 bp

 RefSeq ORF:
 1527 bp

 Locus ID:
 1594

 UniProt ID:
 015528

 Cytogenetics:
 12q14.1

**Protein Families:** Druggable Genome, P450

**Protein Pathways:** Metabolic pathways, Steroid biosynthesis





ORÏGENE

**MW:** 56.3 kDa

**Gene Summary:** This gene encodes a member of the cytochrome P450 superfamily of enzymes. The

cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. The protein encoded by this gene localizes to the inner mitochondrial membrane where it hydroxylates 25-hydroxyvitamin D3 at the 1alpha position. This reaction synthesizes 1alpha,25-

dihydroxyvitamin D3, the active form of vitamin D3, which binds to the vitamin D receptor and regulates calcium metabolism. Thus this enzyme regulates the level of biologically active vitamin D and plays an important role in calcium homeostasis. Mutations in this gene can

result in vitamin D-dependent rickets type I. [provided by RefSeq, Jul 2008]