

Product datasheet for RC222903

HOPX (NM 139212) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: HOPX (NM_139212) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: HOPX

Synonyms: CAMEO; HOD; HOP; LAGY; NECC1; OB1; SMAP31; TOTO

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC222903 representing NM_139212

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GTCACAGAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC222903 representing NM_139212

Red=Cloning site Green=Tags(s)

MSAETASGPTEDQVEILEYNFNKVDKHPDSTTLCLIAAEAGLSEEETQKWFKQRLAKWRRSEGLPSECRS

VTD

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Chromatograms: https://cdn.origene.com/chromatograms/mk6430 e12.zip

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_139212

ORF Size: 219 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 139212.3</u>

RefSeq Size: 1116 bp RefSeq ORF: 222 bp Locus ID: 84525



UniProt ID: Q9BPY8

Cytogenetics: 4q12

Domains: homeobox

Protein Families: Transcription Factors

MW: 8.1 kDa

Gene Summary: The protein encoded by this gene is a homeodomain protein that lacks certain conserved


residues required for DNA binding. It was reported that choriocarcinoma cell lines and tissues

failed to express this gene, which suggested the possible involvement of this gene in


malignant conversion of placental trophoblasts. Studies in mice suggest that this protein may interact with serum response factor (SRF) and modulate SRF-dependent cardiac-specific gene expression and cardiac development. Multiple alternatively spliced transcript variants have

been identified for this gene. [provided by RefSeq, Feb 2009]

Product images:




Circular map for RC222903



Western blot validation of overexpression lysate (Cat# [LY428902]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC227611] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified HOPX protein (Cat# [TP322903]). The protein was produced from HEK293T cells transfected with HOPX cDNA clone (Cat# RC222903) using MegaTran 2.0 (Cat# [TT210002]).