

## Product datasheet for RC222906L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## ADCY5 (NM\_183357) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** ADCY5 (NM\_183357) Human Tagged ORF Clone Lentiviral Particle

Symbol: ADCY5

**Synonyms:** AC5; FDFM

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_183357 **ORF Size:** 3783 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC222906).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 183357.2

RefSeq Size: 6098 bp
RefSeq ORF: 3786 bp

Locus ID: 111

 UniProt ID:
 O95622

 Cytogenetics:
 3q21.1

**Protein Families:** Druggable Genome, Transmembrane





## ADCY5 (NM\_183357) Human Tagged ORF Clone Lentiviral Particle - RC222906L4V

**Protein Pathways:** Chemokine signaling pathway, Dilated cardiomyopathy, Gap junction, GnRH signaling

pathway, Melanogenesis, Oocyte meiosis, Progesterone-mediated oocyte maturation, Purine

metabolism, Vascular smooth muscle contraction

MW: 138.9 kDa

Gene Summary: This gene encodes a member of the membrane-bound adenylyl cyclase enzymes. Adenylyl

cyclases mediate G protein-coupled receptor signaling through the synthesis of the second messenger cAMP. Activity of the encoded protein is stimulated by the Gs alpha subunit of G protein-coupled receptors and is inhibited by protein kinase A, calcium and Gi alpha subunits. Single nucleotide polymorphisms in this gene may be associated with low birth weight and type 2 diabetes. Alternatively spliced transcript variants that encode different isoforms have

been observed for this gene. [provided by RefSeq, Dec 2010]