

Product datasheet for **RC223000**

NFAT4 (NFATC3) (NM_173163) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NFAT4 (NFATC3) (NM_173163) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NFATC3
Synonyms:	NF-AT4c; NFAT4; NFATX
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC223000 representing NM_173163 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGACTACTGCAAACGTGGCGCCACGACGAGCTCGACTTCAAACCTCGTCTTTGGCGAGGACGGGGCGC
CGGGCGCCCGCCCGGGCTCGCGGCTGCAGATCTTGAGCCAGATGATTGTGCATCCATTTACATCTT
TAATGTAGATCCACCTCCATCTACTTTAAACCACACCACCTTGGCTTACCACATCATGGATTACCGTCTCAC
TCTTCTGTTTTGTCAACATCGTTTCAGCTCCAAAGTCACAAAACTATGAAGGAACCTTGTGAGATTCCTG
AATCTAAATATAGCCATTAGGTGGTCCAAAACCTTTGAGTGCCCAAGTATTCAAATTACATCTATCTC
TCCAACTGTCATCAAGAATTAGATGCACATGAAGATGACCTACAGATAAATGACCCAGAACGGGAATTT
TTGAAAGGCCTTCTAGAGATCATCTCTATCTTCTCTTGAGCCATCCTACCGGGAGTCTTCTCTTAGTC
CTAGTCTGCCAGCAGCATCTCTTAGGAGTTGGTTCTCTGATGCATCTTCTGTGAATCGTTTCACA
TATTTATGATGATGTGGACTCAGAGTTGAATGAAGCTGCAGCCGATTTACCCTTGGATCCCCTCTGACT
TCTCTGGTGGCTCTCCAGGGGGCTGCCCTGGAGAAGAACTTGGCATCAACAGTATGGACTGGACACT
CATTATCACCCAGGCAATCTCCTTGCCACTCTCCTAGATCCAGTGTCACTGATGAGAATTGGCTGAGCCC
CAGGCCAGCCTCAGGACCCTCATCAAGGCCACATCCCCCTGTGGAAACGGAGGCACTCCAGTGTGAA
GTTTGTATGCTGGTCCCTTTACCCCATCACTCACCTGTTCTTACCTGGTCACTCCCCAGGGGAA
GTGTGACAGAAGATACGTGGCTCAATGCTTCTGTCCATGGTGGTCCAGGCCTTGGCCCTGCAGTTTTTCC
ATTTCACTACTGTGAGAGACTGACATCCCTCTCAAAACAAGGAAAACCTTGAAGATCAAGCTGCCATA
CTACCAGGAAAATTAGAGCTGTGTTTCAAGATGACCAAGGGAGTTTATCACCAGCCCGGAGACTTCAATAG
ATGATGGCCTTGGATCTCAGTATCCTTTAAAGAAAGATTCATGTGGTGTGATGATTTCTTTCAGTTCTTC
ACCCTTTACCTGGAGCAAACCAAGCCTGGCCACACCCCTATATTTGCGACATCTTATTACCTCCACTA
GACTGGCCTTTACCAGCTCATTTTGGACAATGTGAAGTAAAATAGAAGTGAACCTAAAACCTCATCATC
GAGCCCATTATGAACTGAAGGTAGCCGAGGGGAGTAAAAGCATCTACTGGGGGACATCCTGTTGTGAA
GCTCCTGGGCTATAACGAAAAGCCAATAAATCTACAAATGTTTATTGGGACAGCAGATGATCGATATTTA
CGACCTCATGATTTTACCAGGTGCATCGAATCACTGGGAAGACAGTTCGCTACTGCAAGCCAAGAGATAA



TAATTGCCAGTACAAAAGTTCTGGAAATCCACTTCTTCTCGAAAATAATATGTCAGCCAGTATTGATTG
 TGCAGGTATTTTAAAACCTCCGCAATTCAGATATAGAAGCTCGAAAAGGAGAAAAGTATTTGGCAGAAAAG
 AATACTAGAGTACGACTTGTGTTTCGTGTACACATCCCACAGCCCAGTGGAAAAGTCTTTCTCTGCAGA
 TAGCCTCTATACCCGTTGAGTGTCCCAGCGGTCTGCTCAAGAACTTCTCATATTGAGAAGTACAGTAT
 CAACAGTTGTTCTGTAATGGAGGTCATGAAATGGTTGTACTGGATCTAATTTTCTTCCAGAATCCAAA
 ATCATTTTTCTTAAAAAGGACAAGATGGACGACCTCAGTGGGAGGTAGAAGGGAAGATAATCAGGGAAA
 AATGTCAAGGGGCTCACATTGTCCTTGAAGTTCCCTCCATATCATAACCCAGCAGTTACAGCTGCAGTGCA
 GGTGCACTTTTATCTTTGCAATGGCAAGAGGAAAAAAGCCAGTCTCAACGTTTTACTTATACACCAGTT
 TTGATGAAGCAAGAACACAGAGAAGAGATTGATTTGTCTTCAGTTCATCTTTGCCTGTGCCTATCCTG
 CTCAGACCCAGAGGCTTCTCTGATTACAGGGTGTTCACATGACAGTGTACTGTCAGGACAGAGAAGTTT
 GATTTGCTCCATCCCACAAACATATGCATCCATGGTGACCTCATCCCATCTGCCACAGTTGCAGTGTAGA
 GATGAGAGTGTAGTAAAGAACAGCATATGATTCTTCTCCAATTGTACACCAGCCTTTTCAAGTACAC
 CAACACCTCTGTGGGTCTTCTATCAGCCTATGCAAATAATGTTGTGTACAATGGACCAACTGTCT
 TCCTATTAATGCTGCCTCTAGTCAAGAATTTGATTCAGTTTTGTTTCAGCAGGATGCAACTCTTCTGGT
 TTAGTGAATCTTGCTGTCAACCACTGTATCCATACCATTTTCTTCAAATTCAGGCTCAACAGGAC
 ATCTTTAGCCATACACCTCATTCTGTGCATACCCTGCCTCATCTGCAATCAATGGGATATCATTTGTT
 AAATACAGGACAAAGATCTTTTCTTCTCCAGTGGCTGACCAGATTACAGGTGAGCCTTCGTCTCAGTTA
 CAACCTATTACATATGGTCTTACATTACAGGGTCTGCTACAACAGCTTCCCCAGCAGCTTCTCATCCCT
 TGGCTAGTTACCCGCTTCTGGGCCACCATCTCCTCAGCTTACAGCCTATGCCTTACCAATCTCCTAGCTC
 AGGAACTGCCTCATCACCGTCTCCAGCCACCAGAATGCATTCTGGACAGCACTCAACTCAAGCACAAAGT
 ACGGGCCAGGGGGTCTTCTGCACCTTATCCTTAATATGTCACAGTTTGTGTGATCCAGCGTCATTTT
 CACCTGATGGGGCAACTGTGAGCATTAACTGAACAGAAAGTCGAGAGCCTAACTTTGCAACCATTGG
 TCTGCAGGACATCACTTTAGATGATGATTTGTTTACCAGTAATAATTTTGACTTGCTTCAGTTGAGACCT
 ACGTTTTGGCCAGTCCCAGCAGGAAGATATCTGAGGAATCTAGAG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC223000 representing NM_173163
 Red=Cloning site Green=Tags(s)


MTTANCGAHDELDFKL VFGEDGAPAPPPGSRPADLEPDDCASIIYIFNVDPSTLTTPLCLPHHGLPSH
 SSVLSPSFQLQSHKNYEGTCEIPESKYSPLGGPKPFECPSIQITSI SPNCHQELDAHEDDLQINDPEREF
 LERPSRDHLYLPLEPSYRESSLSPSPASSISSRSWFSDASSCESLSHIYDDVDSELNEAAARFTLGSPLT
 SPGGSPGGCPGEETWHQQYGLGHSLSPRQSPCHSPRSSVTDENWLSRPASGPSSRPTSPCGKRRHSSAE
 VCYAGSLSPHHSVPVSPGHSPRGSVTEDTWLNASVHGGSGLGPVFPFQYCVETDIPLKTRKTSSEQAAI
 LPGKLELCSDDQGSLSARETSIDDGLGSQYPLKKDSCGDQFLSVSPFTWSKPKPGHTPIFRTSSLPPL
 DWPLPAHFGQCELKIEVQPKTHHRAHYETEGSRGAVKASTGGHPVVKLLGYNEKPINLQMFIGTADDRYL
 RPHAFYQVHRITGKTVATASQEIIIASTKVLEIPLL PENNMSASIDCAGILKLRNSDIELRKGETDIGRK
 NTRVRLVFRVHIPQPSGKVL SLQIASIPVECSQRSAQELPHIEKYSINSCSVNGGHEMVVTSNFLPESK
 IIFLEKGDGRPQWEVEGKI IREKCGGAHIVLEVPPYHNPAVTA AVQVHFYLCNGKRKKSQSQRFTYTPV
 LMKQEHREEIDLSSVPSLPVPHPAQTQRPSDSGCSHDSVLSGQRSLICSIPTYASMTSSHLPLQLQCR
 DESVSKEQHMIPSPIVHQPFQVTPTPPVGSSYQPMQTNVYNGPTCLPINAASSQEFDSVLFQQDATLSG
 LVNLGCQPLSSIPFHSSNSGSTGHLLAHTPHSVHTLPHLQSMGYHCSNTGQRSLSSPVADQITGQSSQL
 QPITYGPHSHSGSATTASPAASHPLASSPLSGPPSPQLQPMYPYQSPSSGTASSPSPATRMHSGHQHSTQAQS
 TGQGLSAPSSLICHSLCDPASFPDPGATVSIKPEPEDREPNFATIGLQDITLDDDLFTSNFDLLQLRP
 TFWPVPAGRYLRNLE

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:

Plasmid Map:


ACCN: NM_173163

ORF Size: 3195 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_173163.3
RefSeq Size:	6438 bp
RefSeq ORF:	3198 bp
Locus ID:	4775
UniProt ID:	Q12968
Cytogenetics:	16q22.1
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Axon guidance, B cell receptor signaling pathway, Natural killer cell mediated cytotoxicity, T cell receptor signaling pathway, VEGF signaling pathway, Wnt signaling pathway
MW:	115.1 kDa
Gene Summary:	The product of this gene is a member of the nuclear factors of activated T cells DNA-binding transcription complex. This complex consists of at least two components: a preexisting cytosolic component that translocates to the nucleus upon T cell receptor (TCR) stimulation and an inducible nuclear component. Other members of this family participate to form this complex also. The product of this gene plays a role in the regulation of gene expression in T cells and immature thymocytes. Several transcript variants encoding distinct isoforms have been identified for this gene. [provided by RefSeq, Nov 2010]