

## Product datasheet for RC223013L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CD10 (MME) (NM\_000902) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** CD10 (MME) (NM\_000902) Human Tagged ORF Clone Lentiviral Particle

Symbol: CD10

Synonyms: CALLA; CD10; CMT2T; NEP; SCA43; SFE

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM\_000902

 ORF Size:
 2250 bp

ORF Nucleotide

Sequence:

OTI Disclaimer:

The ORF insert of this clone is exactly the same as(RC223013).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 000902.2

 RefSeq Size:
 5595 bp

 RefSeq ORF:
 2253 bp

 Locus ID:
 4311

 UniProt ID:
 P08473

 Cytogenetics:
 3q25.2

**Domains:** Peptidase\_M13

**Protein Families:** Druggable Genome, Protease, Transmembrane





## CD10 (MME) (NM\_000902) Human Tagged ORF Clone Lentiviral Particle - RC223013L3V

**Protein Pathways:** Alzheimer's disease, Hematopoietic cell lineage, Renin-angiotensin system

MW: 85.3 kDa

The protein encoded by this gene is a type II transmembrane glycoprotein and a common **Gene Summary:** 

acute lymphocytic leukemia antigen that is an important cell surface marker in the diagnosis of human acute lymphocytic leukemia (ALL). The encoded protein is present on leukemic cells of pre-B phenotype, which represent 85% of cases of ALL. This protein is not restricted to leukemic cells, however, and is found on a variety of normal tissues. The protein is a neutral endopeptidase that cleaves peptides at the amino side of hydrophobic residues and inactivates several peptide hormones including glucagon, enkephalins, substance P,

neurotensin, oxytocin, and bradykinin. [provided by RefSeq, Aug 2017]