

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC223075L1V

FUT8 (NM_178155) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	FUT8 (NM_178155) Human Tagged ORF Clone Lentiviral Particle
Symbol:	FUT8
Synonyms:	CDGF; CDGF1
Mammalian Cell Selection:	None
Vector:	pLenti-C-Myc-DDK (PS100064)
Tag:	Myc-DDK
ACCN:	NM_178155
ORF Size:	1725 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC223075).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 178155.1</u>
RefSeq Size:	3775 bp
RefSeq ORF:	1728 bp
Locus ID:	2530
UniProt ID:	<u>Q9BYC5</u>
Cytogenetics:	14q23.3
Protein Families:	Transmembrane
Protein Pathways:	Keratan sulfate biosynthesis, Metabolic pathways, N-Glycan biosynthesis



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	FUT8 (NM_178155) Human Tagged ORF Clone Lentiviral Particle – RC223075L1V
MW:	66.3 kDa
Gene Summary:	This gene encodes an enzyme belonging to the family of fucosyltransferases. The product of this gene catalyzes the transfer of fucose from GDP-fucose to N-linked type complex glycopeptides. This enzyme is distinct from other fucosyltransferases which catalyze alpha1- 2, alpha1-3, and alpha1-4 fucose addition. The expression of this gene may contribute to the malignancy of cancer cells and to their invasive and metastatic capabilities. Alternative splicing results in multiple transcript variants. [provided by RefSeq, May 2011]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US