

## Product datasheet for **RC223096**

### TGIF (TGIF1) (NM\_173209) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** TGIF (TGIF1) (NM\_173209) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** TGIF  
**Synonyms:** HPE4; TGIF  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**ORF Nucleotide Sequence:** >RC223096 representing NM\_173209  
**Red=Cloning site Blue=ORF Green=Tags(s)**

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGACATTCCTTGGACCTTTCTTCATCCGCTGGCTCAGGCAAGAGAAGGAGAAGGGCAACCTACCCA  
AGGAGTCTGTGCAGATTCTCGGGATTGGCTGTATGAGCACCGTTACAATGCCTATCCTTCAGAGCAAGA  
AAAAGCGTTGCTGTCCCAGCAAACACACCTGTCTACGCTACAGGTCTGTAAGTGGTTCATCAACGCCCGC  
CGCAGGCTCCTCCCTGACATGCTGAGAAAGGATGGCAAAGATCCAATCAGTTCACAATTTCCCGCCGTG  
GGCCAAGATTTCTGAAACGAGCTCTGTGGAGTCCGTGATGGGCATCAAAAATTCATGCCAGCTCTAGA  
GGAGACCCCATTTCACTCCTGTACAGCTGGGCCAAACCAACCTAGGGAGGCCACTGTCTCCTAAGCCG  
TCATCCCCGGGATCAGTTTTGGCTCGTCCATCAGTGATCTGCCATACCACTGTGACTGCATTGAAAGATG  
TCCCTTTCTCTCTGCCAGTCGGTTCGGTGTGGGACAAAACACAGATATACAGCAGATAGCGGCCAAAAA  
CTTCACAGACACCTCTCTCATGTACCCAGAGGACACTTGTAAATCTGGACCAAGTACGAATACACAGAGT  
GGTCTTTTCAACACTCCTCCCCCTACTCCACGGACCTCAACCAGGACTTCAGTGGATTTAGCTTCTAG  
TGGATGTTGCACTCAAACGGGCTGCAGAGATGGAGCTTCAGGCAAACTTACAGT

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RC223096 representing NM\_173209  
 Red=Cloning site Green=Tags(s)

MDIPLDLSSSAGSGKRRRRGNLPKESVQILRDWLYEHRYNAYPSEQEKALLSQQTHLSTLQVCNWFINAR  
 RRLLPDMLRKDGKDPNQFTISRRAKISSETSSVESVMGIKNFMPALEETPFHSCTAGPNPTLGRPLSPKP  
 SSPGSLARPSVICHTTVTALKDVPFSLCQSVGVGQNTDIQQIAAKNFDTSLMYPEDTCKSGPSTNTQS  
 GLFNTPPPTPPDLNQDFSGFQLLDVVALKRAAEMELQAKLTA

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF

**ACCN:** NM\_173209

**ORF Size:** 756 bp


**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_173209.3</a>
<b>RefSeq Size:</b>	1382 bp
<b>RefSeq ORF:</b>	759 bp
<b>Locus ID:</b>	7050
<b>UniProt ID:</b>	<a href="#">Q15583</a>
<b>Cytogenetics:</b>	18p11.31
<b>Protein Families:</b>	Druggable Genome, Stem cell - Pluripotency, Stem cell relevant signaling - TGFb/BMP signaling pathway, Transcription Factors
<b>MW:</b>	27.5 kDa
<b>Gene Summary:</b>	<p>The protein encoded by this gene is a member of the three-amino acid loop extension (TALE) superclass of atypical homeodomains. TALE homeobox proteins are highly conserved transcription regulators. This particular homeodomain binds to a previously characterized retinoid X receptor responsive element from the cellular retinol-binding protein II promoter. In addition to its role in inhibiting 9-cis-retinoic acid-dependent RXR alpha transcription activation of the retinoic acid responsive element, the protein is an active transcriptional co-repressor of SMAD2 and may participate in the transmission of nuclear signals during development and in the adult. Mutations in this gene are associated with holoprosencephaly type 4, which is a structural anomaly of the brain. Alternative splicing has been observed at this locus and multiple splice variants encoding distinct isoforms are described. [provided by RefSeq, Jul 2013]</p>

Product images:



Circular map for RC223096



Western blot validation of overexpression lysate (Cat# [LY406656]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC223200] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).