

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC223161L4V

MATK (NM_139355) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	MATK (NM_139355) Human Tagged ORF Clone Lentiviral Particle
Symbol:	MATK
Synonyms:	CHK; CTK; HHYLTK; HYL; HYLTK; Lsk
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_139355
ORF Size:	1521 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC223161).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 139355.1</u>
RefSeq Size:	2183 bp
RefSeq ORF:	1524 bp
Locus ID:	4145
UniProt ID:	<u>P42679</u>
Cytogenetics:	19p13.3
Protein Families:	Druggable Genome, Protein Kinase, Stem cell - Pluripotency
MW:	56.3 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:The protein encoded by this gene has amino acid sequence similarity to Csk tyrosine kinase
and has the structural features of the CSK subfamily: SRC homology SH2 and SH3 domains, a
catalytic domain, a unique N terminus, lack of myristylation signals, lack of a negative
regulatory phosphorylation site, and lack of an autophosphorylation site. This protein is
thought to play a significant role in the signal transduction of hematopoietic cells. It is able to
phosphorylate and inactivate Src family kinases, and may play an inhibitory role in the control
of T-cell proliferation. This protein might be involved in signaling in some cases of breast
cancer. Three alternatively spliced transcript variants that encode different isoforms have
been described for this gene. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US