

## Product datasheet for RC223180L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## FXYD3 (NM\_021910) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: FXYD3 (NM 021910) Human Tagged ORF Clone Lentiviral Particle

Symbol: FXYD3

Synonyms: MAT8; PLML

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_021910

ORF Size: 339 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC223180).

Sequence:

Cytogenetics:

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 021910.1, NP 068710.1

 RefSeq Size:
 1466 bp

 RefSeq ORF:
 342 bp

 Locus ID:
 5349

 UniProt ID:
 Q14802

Domains: ATP1G1\_PLM\_MAT8

**Protein Families:** Ion Channels: Other, Transmembrane

19q13.12





## FXYD3 (NM\_021910) Human Tagged ORF Clone Lentiviral Particle - RC223180L3V

**MW:** 9.8 kDa

**Gene Summary:** 

This gene belongs to a small family of FXYD-domain containing regulators of Na+/K+ ATPases which share a 35-amino acid signature sequence domain, beginning with the sequence PFXYD, and containing 7 invariant and 6 highly conserved amino acids. This gene encodes a cell membrane protein that may regulate the function of ion-pumps and ion-channels. This gene may also play a role in tumor progression. Alternative splicing results in multiple transcript variants encoding distinct isoforms.[provided by RefSeq, Oct 2008]