

## Product datasheet for RC223200

### TGIF (TGIF1) (NM\_173211) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** TGIF (TGIF1) (NM\_173211) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** TGIF  
**Synonyms:** HPE4; TGIF  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**ORF Nucleotide Sequence:** >RC223200 representing NM\_173211  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGTTCTAGCGCAGAGCCGGGTGTCTGCCGGGTGGGCTCCCCGATTGTTCCGGCTCCGGCGGGGGCG  
 GCTCTGATTCTTTCCATGGCCCGCTCCACCCCGGAATCCGCAGTGTCTTTCCACGGCTTTTCT  
 GGCGTCCCCCGACTCTCCCGCGCACTTTGGCTACCTCCCCAGCGCGTGGTCTCCCTGGCGACC  
 CCCTCTGCGCTCCTGGGTCTCTCGCCCCCTCTCCACCGCGCGCTGCCACAGCCGCTGCC  
 TCTCCCAGGAGCTGGGGACCAAGGCTGGGCCCGCGCGCATCGGTGGAACTCCGCGTCCCATC  
 CCAGGGCGCACAGGGTCCAGTCTCTCGGCGCCGACTCCTGGAAACAATGAAAGGTATTGTTGCAGCATCT  
 GGCAGTGAGACTGAGGATGAGGACAGCATGGACATTCCCTTGGACCTTTCTTATCCGCTGGCTCAGGCA  
 AGAGAAGGAGAAGGGGAACCTACCCAAGGAGTCTGTGCAGATTCTCGGGATTGGCTGTATGAGCACCG  
 TTACAATGCCTATCCTTCAGAGCAAGAAAAAGCGTTGCTGTCCCAGCAAACACACCTGTCTACGCTACAG  
 GTCTGTAAGTGGTTCATCAACGCCCGCCGAGGCTCTCCCTGACATGCTGAGAAAGGATGGCAAAGATC  
 CAAATCAGTTCACAATTTCCCGCGTGGGGCAAGATTTCTGAAACGAGCTCTGTGGAGTCCGTGATGGG  
 CATCAAAAATTCATGCCAGCTCTAGAGGAGACCCCATTCATTCCTGTACAGCTGGGCCAAACCAACC  
 CTAGGGAGGCCACTGTCTCTAAGCCGTATCCCCGGGATCAGTTTTGGCTCGTCCATCAGTGATCTGCC  
 ATACCACTGTGACTGCATTGAAAGATGTCCCTTCTCTCTGCCAGTCCGGTGGTGGGACAAAACAC  
 AGATATACAGCAGATAGCGGCCAAAAAATTCACAGACACCTCTCTCATGTACCCAGAGGACACTGTAA  
 TCTGGACCAAGTACGAATACACAGAGTGGTCTTTTCAACACTCTCCCCACTCCACCGGACCTCAACC  
 AGGACTTCAGTGGATTTTCAGTCTAGTGGATGTTGCACTCAAACGGGCTGCAGAGATGGAGCTTCAGGC  
 AAAACTTACAGCT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA



**Protein Sequence:** >RC223200 representing NM\_173211  
 Red=Cloning site Green=Tags(s)

MVLAQSRVSAGVGSPhCSGSGGGGSDSFPWPASHPGNPQCSFSTAFASPRLSRGTLAYLPPAPWSSLAT  
 PSALLGSSCAPP PPPARCPQPRALSQELGKAGPRRPHRWELPRSPSQGAQGPAPRRRLETMKGIWAAS  
 GSETEDEDSMDIPLDLSSAGSGKRRRRGNLPKESVQILRDWL YEHRYNAYPSEQEKALLSQQTHLSTLQ  
 VCNWF INARRRLLPDMLRKDGKDPNQFTISRRAK ISETSSVESVMGIKNFMPALEETPFHSC TAGPNPT  
 LGRPLSPKPSSPGSVLARPSVICHTT VTALKDVPFSLCQSVGVGQNTDIQQIAAKNFTD TSLMYPEDTCK  
 SGPSTNTQSGLFNTPPPTPPDLNQDFSGFQLLV DVALKRAAEMELQAKLTA



TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF

**ACCN:** NM\_173211

**ORF Size:** 1203 bp


**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

|                               |   |
|-------------------------------|---|
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>   |
| <b>RefSeq Size:</b>           | 1369 bp   |
| <b>RefSeq ORF:</b>            | 759 bp  |
| <b>Locus ID:</b>              | 7050  |
| <b>UniProt ID:</b>            | <a href="#">Q15583</a>  |
| <b>Cytogenetics:</b>          | 18p11.31  |
| <b>Protein Families:</b>      | Druggable Genome, Stem cell - Pluripotency, Stem cell relevant signaling - TGFb/BMP signaling pathway, Transcription Factors  |
| <b>MW:</b>                    | 27.5 kDa  |
| <b>Gene Summary:</b>          | <p>The protein encoded by this gene is a member of the three-amino acid loop extension (TALE) superclass of atypical homeodomains. TALE homeobox proteins are highly conserved transcription regulators. This particular homeodomain binds to a previously characterized retinoid X receptor responsive element from the cellular retinol-binding protein II promoter. In addition to its role in inhibiting 9-cis-retinoic acid-dependent RXR alpha transcription activation of the retinoic acid responsive element, the protein is an active transcriptional co-repressor of SMAD2 and may participate in the transmission of nuclear signals during development and in the adult. Mutations in this gene are associated with holoprosencephaly type 4, which is a structural anomaly of the brain. Alternative splicing has been observed at this locus and multiple splice variants encoding distinct isoforms are described. [provided by RefSeq, Jul 2013]</p> |

Product images:



Circular map for RC223200



Western blot validation of overexpression lysate (Cat# [LY406656]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC223200 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).