

Product datasheet for RC223210

TSC22D1 (NM_006022) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	TSC22D1 (NM_006022) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	TSC22D1
Synonyms:	Ptg-2; TGFB1I4; TSC22
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	<pre>>RC223210 representing NM_006022 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGAAATCCCAATGGTGTAGACCAGTGGCGATGGATCTAGGAGTTTACCAACTGAGACATTTTTCAATTT CTTTCTTGTCATCCTTGCTGGGGACTGAAAACGCTTCTGTGAGACTTGATAATAGCTCCTCTGGTGCAAG TGTGGTAGCTATTGACAACAAAATCGAGCAAGCTATGGATCTAGTGAAAAGCCATTTGATGTATGCGGTC AGAGAAGAAGTGGAGGTCCTCAAAGAGCAAATCAAAGAACTAATAGAGAAAAATTCCCAGCTGGAGCAGG AGAACAATCTGCTGAAGACACTGGCCAGTCCTGAGCAGCTTGCCCAGTTTCAGGCCCAGCTGCAGACTGG CTCCCCCCCTGCCACCACCCAGCCACAGGGCACCACACAGCCCCCCGCCCAGCCAGCATCGCAGGGCTCA GGACCAACCGCA
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAGG TTTAA
Protein Sequence:	>RC223210 representing NM_006022 <mark>Red=</mark> Cloning site Green=Tags(s)
	MKSQWCRPVAMDLGVYQLRHFSISFLSSLLGTENASVRLDNSSSGASVVAIDNKIEQAMDLVKSHLMYAV REEVEVLKEQIKELIEKNSQLEQENNLLKTLASPEQLAQFQAQLQTGSPPATTQPQGTTQPPAQPASQGS GPTA
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Chromatograms:	https://cdn.origene.com/chromatograms/mk6242_h06.zip



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


SC22D1 (NM_006022) Human Tagged ORF Clone – RC223210

ACCN: NM ORF Size: 43: OTI Disclaimer: The ref nai clo var OTI Annotation: Thi var Components: The	Coning sites used for OFF Shutting: $ \begin{aligned} $
ACCN: NM ORF Size: 43: OTI Disclaimer: The ref nai clo var OTI Annotation: Thi var Components: The	$\frac{\log R}{\log CORRECCE CONSTRUCT OF CONSTRUCT O$
CCN: NN RF Size: 43: TI Disclaimer: The ref nai clo var TI Annotation: Thi var omponents: The	AT CTG GCA ACC AAT GAT ATC CTG GAT TAC AAG GAT GAC GAC GAC GAT AAG GTT TAA ACGGCCGGCC D = L A A N $D = T$ L $D = Y$ K $D = D$ $D = D$ K V stop The bat codenbefore the Stopcoden of the ORF M_006022 B2 bp the molecular sequence of this clone aligns with the gene accession number as a point of ference only. However, individual transcript sequences of the same gene can differ through atturally occurring variations (e.g. polymorphisms), each with its own valid existence. This pone is substantially in agreement with the reference, but a complete review of all prevailing riants is recommended prior to use. <u>More info</u> his clone was engineered to express the complete ORF with an expression tag. Expression
CCN: NM PRF Size: 433 ITI Disclaimer: The ref nation: The var OTI Annotation: The var	M_006022 B2 bp ne molecular sequence of this clone aligns with the gene accession number as a point of ference only. However, individual transcript sequences of the same gene can differ through aturally occurring variations (e.g. polymorphisms), each with its own valid existence. This one is substantially in agreement with the reference, but a complete review of all prevailing riants is recommended prior to use. <u>More info</u> his clone was engineered to express the complete ORF with an expression tag. Expression
DRF Size: 433 DTI Disclaimer: The ref nation: The DTI Annotation: The var	¹ B2 bp be molecular sequence of this clone aligns with the gene accession number as a point of ference only. However, individual transcript sequences of the same gene can differ through aturally occurring variations (e.g. polymorphisms), each with its own valid existence. This one is substantially in agreement with the reference, but a complete review of all prevailing riants is recommended prior to use. <u>More info</u> his clone was engineered to express the complete ORF with an expression tag. Expression
OTI Disclaimer: The ref nai clo var OTI Annotation: Thi var omponents: The	The molecular sequence of this clone aligns with the gene accession number as a point of ference only. However, individual transcript sequences of the same gene can differ through aturally occurring variations (e.g. polymorphisms), each with its own valid existence. This one is substantially in agreement with the reference, but a complete review of all prevailing riants is recommended prior to use. <u>More info</u>
ref na clo var TI Annotation: Thi var components: The	ference only. However, individual transcript sequences of the same gene can differ through aturally occurring variations (e.g. polymorphisms), each with its own valid existence. This one is substantially in agreement with the reference, but a complete review of all prevailing riants is recommended prior to use. <u>More info</u> his clone was engineered to express the complete ORF with an expression tag. Expression
var omponents: The	
-	ries depending on the nature of the gene.
COI	e ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube ntaining 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
2. (3. (4. l at) 5. s	Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of
lote: Pla	ipping when stored at -20°C. asmids are not sterile. For experiments where strict sterility is required, filtration with
	22um filter is required. <u>M_006022.4</u>
-	/91 bp
-	35 bp

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	TSC22D1 (NM_006022) Human Tagged ORF Clone – RC223210
Locus ID:	8848
UniProt ID:	<u>Q15714</u>
Cytogenetics:	13q14.11
Domains:	TSC22
Protein Families:	Transcription Factors
MW:	15.5 kDa
Gene Summary:	This gene encodes a member of the TSC22 domain family of leucine zipper transcription factors. The encoded protein is stimulated by transforming growth factor beta, and regulates the transcription of multiple genes including C-type natriuretic peptide. The encoded protein may play a critical role in tumor suppression through the induction of cancer cell apoptosis, and a single nucleotide polymorphism in the promoter of this gene has been associated with diabetic nephropathy. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Aug 2011]


Product images:



Circular map for RC223210

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US





HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY TSC22D1 (Cat# RC223210, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TSC22D1(Cat# [TA505062]). Positive lysates [LY416882] (100ug) and [LC416882] (20ug) can be purchased separately from OriGene.

Western blot validation of overexpression lysate (Cat# [LY416882]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC223210 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US