

## Product datasheet for **RC223212**

### **NLRP3 (NM\_183395) Human Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	NLRP3 (NM_183395) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NLRP3
Synonyms:	AGTAVPRL; AII; AVP; C1orf7; CIAS1; CLR1.1; DFNA34; FCAS; FCAS1; FCU; KEFH; MWS; NALP3; PYPAF1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RC223212 representing NM\_183395  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGAAGATGGCAAGCACCCGCTGCAAGCTGGCCAGGTACCTGGAGACCTGGAGGATGTGGACTTGAAGA  
 AATTTAAGATGCACTTAGAGGACTATCCTCCCAAGAGGCTGCATCCCCCTCCCGAGGGGTCAGACAGA  
 GAAGGCAGACCATGTGGATCTAGCCACGCTAATGATCGACTTCAATGGGAGGAGAGGCGTGGCCATG  
 GCCGTGTGGATCTTCGCTGCGATCAACAGGAGAGACCTTTATGAGAAAGCAAAAAGAGATGAGCCGAAGT  
 GGGGTTACAGATAATGCACGTGTTTGAATCCCACTGTGATATGCCAGGAAGACAGCATTGAAGAGGAGTG  
 GATGGGTTTACTGGAGTACCTTTGAGAATCTCTATTTGTAATAAAGAAAGATTACCGTAAGAAGTAC  
 AGAAAGTACGTGAGAAGCAGATTCCAGTGCATTGAAGACAGGAATGCCCGTCTGGGTGAGAGTGTGAGCC  
 TCAACAAACGCTACACACGACTGCGTCTCATCAAGGAGCACCGGAGCCAGCAGGAGAGGGAGCAGGAGCT  
 TCTGGCCATCGGCAAGACCAAGACGTGTGAGAGCCCCGTGAGTCCCATTAAGATGGAGTTGCTGTTTGC  
 CCCGATGATGAGCATTCTGAGCCTGTGCACACCGTGGTGTCCAGGGGGCGCAGGGATTGGGAAAAACA  
 TCTGGCCAGGAAGATGATGTTGGACTGGGCGTCGGGGACACTCTACCAAGACAGGTTTACTATCTGTT  
 CTATATCCACTGTCCGGAGGTGAGCCTTGTGACACAGAGGAGCCTGGGGACCTGATCATGAGCTGCTGC  
 CCCGACCAAAACCCACCCATCCACAAGATCGTGAGAAAACCTCCAGAATCCTCTTCCATGGACGGCT  
 TCGATGAGCTGCAAGGTGCCTTTGACGAGCACATAGGACCGCTCTGCACTGACTGGCAGAAGGCCGAGCG  
 GGGAGACATTCTCTGAGCAGCCTCATCAGAAAGAAGCTGCTTCCCGAGGCCTCTCTGCTCATCACCAG  
 AGACCTGTGGCCCTGGAGAACTGCAGCACTTCTGAGCAGCCTGCTGGACCATCCTCGGCATGTGGAGATCCTGGTTTCT  
 CCGAGGCCAAAAGGAAAGAGTACTTCTTCAAGTACTTCTGATGAGGCCCAAGCCAGGGCAGCCTTCAG  
 TCTGATTCAGGAGAACGAGGTCTCTTCCCATGTGCTTCAATCCCTGCTGCTGATCGCTGGATCGTGTGCACT  
 GGACTGAAAACAGCAGATGGAGAGTGGCAAGAGCCTTGCCAGACATCCAAGACCACCACCGCGTGTACG  
 TCTTCTTCTTCCAGTTTGTGTCAGCCCGGGGAGGGAGCCAGGAGCACGGCCTCTGCGCCACCTCTG  
 GGGGCTGCTCTTTGGCTGCAGATGGAATCTGGAACAGAAAATCCTGTTTGGAGAGTCCGACCTCAGG  
 AATCATGGACTGCAGAAGGCGGATGTGTCTGCTTCTGAGGATGAACCTGTTCCAAAAGGAAGTGGACT  
 GCGAGAAGTTCTACGCTTCCATCCATGACTTCCAGGAGTCTTGGCCCATGTACTACCTGCTGGA  
 AGAGGAAAAGGAAGGACGAAACGTTCCAGGGAGTCGTTTGAAGCTTCCAGCCGAGACGTGACAGTC  
 CTTCTGAAAACATATGGCAAATTCGAAAAGGGTATTTGATTTTTGTTGTACGTTTCTCTTTGGCCTGG  
 TAAACCAGGAGAGACCTCCTACTTGGAGAAGAAATTAAGTTGCAAGATCTCTCAGCAAATCAGGCTGGA  
 GCTGCTGAAATGGATTGAAGTGAAGCCAAAGCTAAAAAGCTGCAGATCCAGCCAGCCAGCTGGAATTG  
 TTCTACTGTTTGTACGAGATGCAGGAGGAGGACTTCGTGCAAAGGGCCATGGACTATTTCCCAAGATTG  
 AGATCAATCTCTCCACGAAATGGACCACATGGTTTCTCCTTTTGCATTGAGAACTGTCATCGGGTGA  
 GTCACTGTCCCTGGGTTTCTCCATAACATGCCAAGGAGGAAGAGGAGGAGGAAAAGGAAGGCCGACAC  
 CTTGATATGGTGCAGTGTGCTCCCAAGCTCCTCTCATGCTGCCTGTTCTATGGGTGGGGCGCTGTG  
 GCCTCTCGCATGAGTGTGCTTTCGACATCTCCTGGTCTCAGCAGCAACCAGAAGCTGGTGGAGCTGGA  
 CCTGAGTGACAACGCCCTCGGTGACTTCGGAATCAGACTTCTGTGTGGGACTGAAGCACCTGTTGTGC  
 AATCTGAAGAAGCTCTGTTGGTGAATTCGGCCTTACGTCAGTCTGTTGTTGAGCTTTGCTCCTCGGTAC  
 TCAGCACTAATCAGAATCTCACGACCTTTACCTGCGAGGCAACACTCTCGGAGACAAGGGGATCAAAT  
 ACTCTGTGAGGGACTCTTGACCCCGACTGCAAGCTTCAGGTGTTGGAATTAGACAACCTGCAACCTCACG  
 TCACACTGCTGCTGGATCTTTCCACACTTCTGACCTCCAGCCAGAGCCTGCGAAAAGCTGAGCCTGGGCA  
 ACAATGACCTGGGCGACCTGGGGTTCATGATGTTCTGTGAAGTGTGAAACAGCAGAGCTGCCTCCTGCA  
 GAACCTGGGGTGTCTGAAATGTATTTCAATTATGAGACAAAAGTGCCTTAGAAACACTTCAAGAAGAA  
 AAGCCTGAGCTGACCGTCTTTGAGCCTTCTGG

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGAT AAGGTTTAA

Protein Sequence: >RC223212 representing NM\_183395  
 Red=Cloning site Green=Tags(s)

MKMASTRCKLARYLEDLEDVDLKKFKMHLEDYPPQKGC IPLPRGQTEKADHVDLATLMIDFN GEEKAWAM  
 AVWIFAAINRRDLYEKAKRDEPKWGS DNARVSNPTVICQEDSIEEEWMLLEYLSRISICKMKDYRKKY  
 RKYVRSRFQCIEDRNARLGESVSLNKRYTRLRLIKEHRSQQEREQELLAIGKTKTCESPVSPKME LLFD  
 PDDEHSEPVHTVVFQGAAGIGKILARKMMLDWASGTL YQDRFDYLFYIHCREVSLVTQRSLGDLIMSCC  
 PDPNPPIHKIVRKP SRILFLMDGFDELQGA FDEHIGPLCTDWQKAERGDILLSSLIRKKLLPEASLLITT  
 RPVALEKLQHLLDHPRHVEILGFSEAKRKEYFFKYFSDEAQAARAAFSLIQENEVLFTMCFIPLVCWIVCT  
 GLKQQMESGKSLAQT SKTTTAVYVFFLSLLQPRGGSQEHLCAHLWGLCSLAADGIWNQKILFEESDLR  
 NHGLQKADVSAFLRMNLFQKEVDCEKFYSFIHMTFQEFFAAMYLL EEEKEGRTNVPGSRLKLP SRDVTV  
 LLENYKGFKEGYLIFVVRFLFGLVNQERTSYLEKKLSCKISQQIRLELLKWI EVKAKAKKLIQPSQLEL  
 FYCLYEMQEEDFVQRAMDYFPKIEINLSTRMDHMVSSFCIENCHRVESLSLGF LHNMPKEEEEEKEGRH  
 LDMVQCVL PSSSHAACSHGLGRCGLSHECCFDISLVLSSNQKVELDLSDNALGDFGIRLLCVGLKHL LCC  
 NLKKLWLVNSGLTSVCCSALSSVLSTNQNLTHLYLRGNTLGDKGIKLLCEGLLHPDCKLQVLELDNCNLT  
 SHCCWDLSTLLTSSQSLRKL SLGNNDLGDLGVM MFCEVLKQQSCLLQNLGLSEMYFN YETKSALETLQEE  
 KPELTVVFEPSW

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: NM\_183395

ORF Size: 2766 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_183395.2</a> , <a href="#">NP_899632.1</a>
<b>RefSeq Size:</b>	4128 bp
<b>RefSeq ORF:</b>	2763 bp
<b>Locus ID:</b>	114548
<b>UniProt ID:</b>	<a href="#">Q96P20</a>
<b>Cytogenetics:</b>	1q44
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	NOD-like receptor signaling pathway
<b>MW:</b>	106 kDa

**Gene Summary:**

This gene encodes a pyrin-like protein containing a pyrin domain, a nucleotide-binding site (NBS) domain, and a leucine-rich repeat (LRR) motif. This protein interacts with the apoptosis-associated speck-like protein PYCARD/ASC, which contains a caspase recruitment domain, and is a member of the NLRP3 inflammasome complex. This complex functions as an upstream activator of NF-kappaB signaling, and it plays a role in the regulation of inflammation, the immune response, and apoptosis. The SARS-CoV 3a protein, a transmembrane pore-forming viroporin, has been shown to activate the NLRP3 inflammasome via the formation of ion channels in macrophages. Mutations in this gene are associated with familial cold autoinflammatory syndrome (FCAS), Muckle-Wells syndrome (MWS), chronic infantile neurological cutaneous and articular (CINCA) syndrome, neonatal-onset multisystem inflammatory disease (NOMID), keratoendotheliitis fugax hereditaria, and deafness, autosomal dominant 34, with or without inflammation. Multiple alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene. Alternative 5' UTR structures are suggested by available data; however, insufficient evidence is available to determine if all of the represented 5' UTR splice patterns are biologically valid. [provided by RefSeq, Aug 2020]

**Product images:**


Circular map for RC223212