

## Product datasheet for RC223230

### OR11A1 (NM\_013937) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	OR11A1 (NM_013937) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	OR11A1
Synonyms:	6M1-18; dj994E9.6; hs6M1-18; OR11A2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC223230 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

ATGGAAATGTCTCCACAGGAAACGAACTATTACTGAATTTGCCTCCTGGCTTCTATGACATCCCTG  
AACTGCATTTCTGTTTTTATTGTATTCACTGCTGTCTATGTCTTCATCATCATAGGGAATATGCTGAT  
TATTGTAGCAGTGGTTAGCTCCCAGAGGCTCCACAAACCATGTATATTTCTTGCGAATCTGCTCCTC  
CTGGATATTTCTACACCTCCGAGTGATGCCAAAAATGCTGGAGGGCTCCTGCAAGAAGCAACTATCT  
CTGTGGCTGGTTGCTCCAGTCTTTATCTTCGGCTCTCTAGCCACAGCTGAATGCTTACTGCTGGC  
TGTGATGGCATATGACCGCTACCTGGCAATTTGCTACCCACTCCACTACCCACTCCTGATGGGGCCAGA  
CGGTACATGGGGCTGGTGGTCACAACTGGCTCTCTGGATTTGTGGTAGATGGACTGGTTGTGGCCCTGG  
TGACCCAGCTGAGGTTCTGTGGCCCAACCACATTGACCAGTTTTACTGTGACTTTATGCTTTTCGTGGG  
CCTGGCTTGTCTGGATCCCAGAGTGGCTCAGGTGACAACCTCATTCTGTCTGTGTTCTGCCTCACTATT  
CCTTTTGGACTGATTCTGACATCTATGCCAGAATTGGTGGCAGTGTGAGAGTTCCTGCTGGGGCAA  
GCAGGAGAAGGGCTTTCTCCACATGCTCCTCCACCTAGCTGTAGTGACCACATTCTATGGAACGCTCAT  
GATCTTTTATGTTGCACCCTCTGCTGTCCATTCCAGCTCCTCTCAAGGTCTTCTCCCTGCTCTACACT  
GTGGTCACCCCTCTTCAATCCTGTGATCTATACCATGAGGAACAAGGAGGTGCATCAGGCACTTCGGA  
AGATTCTGTATCAAACAACTGAAACACTTGAT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RC223230 protein sequence  
Red=Cloning site Green=Tags(s)

```
MEIVSTGNETITEFVLLGFYDIPELHFLFFIVFTAVYVFIIIGNMLIIVAVVSSQRLHKPMYIFLANLSF
LDIFYTSAVMPKMLEGLQEATISVAGCLLQFFIFGSLATAECLLLAVMAYDRYLAICYPLHYPLLMGPR
RYMGLVVTTLWLSGFVVDGLVVALVTQLRF CGPNHIDQFYCDFMLFVGLACSDPRVAQVTTLILSVFCLTI
PFGLILTSYARIVVAVLRVPAGASRRRAFSTCSSHLAVVTTFYGTLMIIFYVAPSAVHSQLLSKVFSLLYT
VVTPLFNPVIYTMRNKEVHQALRKILCIKQTETLD
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk6440\\_c12.zip](https://cdn.origene.com/chromatograms/mk6440_c12.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_013937

**ORF Size:** 945 bp


**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_013937.3</a> , <a href="#">NP_039225.1</a>
<b>RefSeq Size:</b>	2229 bp
<b>RefSeq ORF:</b>	948 bp
<b>Locus ID:</b>	26531
<b>UniProt ID:</b>	<a href="#">Q9GZK7</a>
<b>Cytogenetics:</b>	6p22.1
<b>Protein Families:</b>	Druggable Genome, Transmembrane
<b>Protein Pathways:</b>	Olfactory transduction
<b>MW:</b>	35.3 kDa
<b>Gene Summary:</b>	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC223230



Western blot validation of overexpression lysate (Cat# [LY415589]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC223230 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).