

Product datasheet for RC223255L4

C10orf90 (NM_001004298) Human Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	C10orf90 (NM_001004298) Human Tagged Lenti ORF Clone
Tag:	mGFP
Symbol:	C10orf90
Synonyms:	bA422P15.2; FATS
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC223255).
Restriction Sites:	SgfI-RsrII
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.


ACCN:	NM_001004298
ORF Size:	2097 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001004298.2
RefSeq Size:	3097 bp
RefSeq ORF:	2100 bp
Locus ID:	118611
UniProt ID:	Q96M02
Cytogenetics:	10q26.2
MW:	77.7 kDa
Gene Summary:	Tumor suppressor that is required to sustain G2/M checkpoint after DNA damage. Acts as a p53/TP53 activator by inhibiting MDM2 binding to p53/TP53 and stimulating non-proteolytic polyubiquitination of p53/TP53. Exhibits ubiquitin ligase (E3) activity and assemble ubiquitin polymers through 'Lys-11'- (K11-), 'Lys-29'- (K29-) and 'Lys-63'- (K63)-linkages, independently of the ubiquitin-conjugating enzyme (E2). Promotes p53/TP53-dependent transcription of CDKN1A/p21, leading to robust checkpoint response. Mediates CDKN1A/p21 protein stability in a ubiquitin-independent manner. Interacts with HDAC1 and prevents binding of HDAC1 to CDKN1A/p21 and facilitates the acetylation and stabilization of CDKN1A/p21 (By similarity). May have a role in the assembly of primary cilia (Probable).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RC223255L4