

## Product datasheet for **RC223440**

### FBXL11 (KDM2A) (NM\_012308) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	FBXL11 (KDM2A) (NM_012308) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	FBXL11
Synonyms:	CXXC8; FBL7; FBL11; FBXL11; JHDM1A; LILINA
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC223440 representing NM_012308 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGAACCCGAAGAAGAAAGGATTCGTTACAGCCAGAGATTGCGTGGTACCATGCGACGACGCTATGAAG  
ATGATGGCATTTCAGATGATGAAATTGAAGGAAAAAGAACTTTTGACTTGAAGAGAACTGCACACCAA  
CAAATATAATGCCAATTTTGTACTTTTATGGAAGGAAAAGATTTAATGTAGAGTATATTCAGCGGGGT  
GGCTTGAGAGATCCTCTGATTTTCAAGAATTCTGATGGACTCGGAATAAAAATGCCGGATCCAGACTTCA  
CTGTGAATGATGTCAAAATGTGTGTGGGAGTCGTCGCATGGTGGATGTCATGGACGTGAACACACAGAA  
AGGCATTGAAATGACCATGGCTCAGTGGACACGCTACTATGAGACCCAGAGGAGGAGCGAGAGAAACTC  
TATAATGTCATCAGCCTCGAGTTTAGCCACACCAGGCTGGAGAATATGGTGCAGAGGCCCTCCACGGTGG  
ATTTCAATTGACTGGGTAGACAACATGTGGCCAAGGCACTTGAAGGAAAGCCAGACTGAATCAACAAATGC  
CATCTTGGAGATGCAGTACCCTAAAGTGCAGAAGTACTGTCTAATGAGTGTTCGAGGCTGCTATACTGAC  
TTCCATGTGGACTTTGGTGGTACCTCTGTTTGGTATCACATCCATCAAGGGGAAAGGTCTTCTGGCTCA  
TCCCCCTACAGCCACAACCTGGAGCTGTACGAGAATTGGCTGCTGTGAGGAAACAGGGAGACATCTT  
TCTGGGTGACCGGTATCAGATTGTGAGCGCATTGAGCTCAAGCAGGGCTATACCTTCGTCATTCCCTCA  
GGCTGGATTCATGCTGTGTATACTCCTACAGACACATTAGTGTGGGGCAATTTTTCATAGCTTCA  
ACATCCCTATGCAGTTAAAAATATACAACATTGAAGATCGACACGGGTTCCAAATAAGTTTCGCTATCC  
ATTCTACTATGAGATGTGTTGGTATGTGTTGGAGCGCTATGTGACTGCATAACCAACCGTTCCACCTA  
ACCAAGGAATTTAGAAAGAGTCCCTCAGCATGGATTTGGAGTTAAATGGGTTGGAGTCTGGGAATGGGG  
ATGAGGAAGCAGTGGATCGAGAACCCCGACGCTTGGAGCAGCGGCTTCTGCTCACTAGCCCTGTAGC  
GAATGGAGTCAACCTGGATTATGATGGACTGGGCAAAACCTGCCGAAGTCTTCAAGTCTGAAGAAAAC  
TTGGCTGGGACTCATCTTCTGACTGTAGCCGGGGCTCCCAATGGACAAGTGTGGATCCCCAGTGTG  
CTCCCCGAAAGGACAGGCAAGTGCATCTGACCCATTTTGGAGTGAAGGCCTTCGCTGCCTGTAGATAA  
GTTGGAGTCTCTGCCACTGCACAAGAAATGTGTCCACAGGGATAGAAGATGAAGATGCTCTCATTGCT



[View online »](#)

GATGTAAGATTTTCTGGAGGAGCTTGCCAACAGCGATCCCAAGTTAGCCCTCACTGGAGTTCCTATAG  
TACAGTGGCCAAAAGGGATAAGCTTAAATTCCTCACTCGGCCAAAGGTGCGGGTTCCTACCATCCCCAT  
TACGAAGCCTCAGACTATGAAACCAGCTCCACGGTTAACACCTGTGAGGCCAGCTGCTGCCTCCCGATT  
GTGTCAGGAGCCAGACGGAGACGAGTGCATGTCGAAAATGCAAAGCCTGTGTGCAAGGAGAGTGTGGTG  
TTTGCCACTACTGCAGAGACATGAAGAAGTTGGGGGGCTGGACGCATGAAGCAGTCTGTGTCTCCG  
ACAGTCTTGGCAGCCAGACTGCCTCACTCAGTACATGTTCCCTCTGTGGAGAGGTGGATCAGAATGAA  
GAGACACAAGACTTTGAGAAGAACTCATGGAATGCTGTATCTGCAATGAGATTGTTTCATCCTGGTGCC  
TCCAGATGGACGGAGAGGGGTTGCTTAAACGAAGAATTGCCAAATTGCTGGGAATGTCAAAAGTGCTACCA  
GGAGGACAGCTCGGAGAAAGCCAGAAGCGGAAAATGGAAGAGAGTGACGAAGAAGCTGTGCAAGCCAAA  
GTCCTGCGGCCCTGCGGAGCTGCGATGAGCCTCTCACGCCCCCGCCTCATTACCCCACTTCCATGCTGC  
AGCTCATCCATGACCCGGTTTCCCCCGGGGTATGGTACTCGGTTCATCCCTGGGGCTGGCCCCAGCGA  
CCACCACAGTGCCAGCCGCGATGAGCGCTTCAAACGGCGGCAGTTGCTGCGGCTGCAGGCCACAGAGCGC  
ACCATGGTACGGGAAAAGGAGAACAATCCAGCGGCAAAAAGGAGCTGTCTGAAGTTGAGAAAGCCAAGA  
TCCGGGGATCGTACCTCACTGTACAGCTACAGAGGCCACCAAAGAGCTCCACGGGACATCCATTGTGCC  
CAAGCTGCAGGCCATCACGGCCTCTCTGCCAACCTTCGCCATTCCCCCGTGTGCTAGTGCAGCACTGC  
CCAGCCCCGAACCCCCAGCGTGGGGATGAGGAGGGGCTGGGGGGAGAGGAGGAGGAAGAGGAGGAGGAGG  
AGGAGGAAGATGACAGTGCAGAGGAGGGGGGTGCAGCCAGGCTGAATGGCCGGGGCAGTTGGGCTCAGGA  
TGGAGACGAAAGCTGGATGCAGCGGGAGGTCTGGATGTCTGTCTCCGCTACCTCAGCCGACAGAACTT  
TGTGAATGTATGCGAGTGTGCAAGACGTGGTATAAATGGTGTGCGACAAGAGACTTTGGACAAAATTG  
ACTTGAGTAGGTGAAGGCCATTGTGCCCCAGGCCCTCAGTGGCATCATCAAGAGGCAGCCAGTCAAGCTT  
TGACCTCAGTTGGACCAACATCTCTAAAAGCAACTGACATGGCTCGTCAATAGGCTGCCAGGACTGAAA  
GACCTCCTCCTAGCAGGCTGCTCCTGGTCTGCAGTCTCTGCCCTCAGCACCTCCAGCTGCCCCCTTCTCA  
GGACCCCTTGATCTTCGGTGGGCAGTAGGAATCAAGGACCCTCAAATTCGGGACTTGCTTACTCCACCGGC  
TGATAAACACAGGTCAGGACAATCGCAGCAAGCTCCGGAACATGACCGACTTCCGGCTGGCAGGCCTTGAC  
ATCACAGATGCCACGCTTCGCCTCATAATTCGCCACATGCCCTCCTGTCTCGACTCGACCTCAGTCACT  
GCAGCCACCTTACAGATCAGTCTCCAATCTACTCACTGCTGTGCGGTCTTCCACTCGTACTCTCTCAC  
AGAGCTCAATATGGCAGTTGCAATAAATTGACAGACCAGACCCTGATCTACCTACGGCGCATTGCCAAC  
GTCACCTTGATCGACCTTCGAGGATGCAAGCAGATCACTCGAAAAGCCTGCGAGCACTTCATCTCAGACT  
TGTCATCAACAGCCTCTACTGCCTGTCTGACGAGAAGCTGATACAGAAGATCAGC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC223440 representing NM\_012308  
 Red=Cloning site Green=Tags(s)

MEPEEERIRYSQRLRGTMRRRYEDDGISDDEIEGKRTFDLEEKLHTNKYANANFVTFMEGKDFNVEYIQRG  
 GLRDPLIFKNSDGLGIKMPDDFTVNDVKMVCVGSRRMVDVMDVNTQKGIEMTMAQWTRYETPEEEREKL  
 YNVISLEFSHTRLENMVQRPSTVDFIDWVDNMWPRHLKESQTESTNAILEMQYKVKYCLMSVRGCYTD  
 FHVDFGGTSVWYHIHQGGKVFVWLPPTAHNLELYENWLLSGKQGDIFLGDRVSDCQRIELKQGYTFVIPS  
 GWIHAVYTPDITLVFGGNFLHSFNIPMQLKIYNIEDRTRVFNKFRYPFYEMCWVYLERVYVCITNRSHL  
 TKEFQKESLSMDLELNGLESGNGDEEAVDREPRRLSSRRSVLTSPPVANGVNLDYDGLGKTCRSLPSLKKT  
 LAGDSSSDCSRGSNHQVWDPQCAPRKDRQVHLTHFELEGLRCLVDKLESPLHKKCVPTGIEDEDALIA  
 DVKILLEELANSDPKLALTGVPVQWPQRDKLKFPTPKVVRVPTIPITKPHMTPAPRLTPVRPAAASPI  
 VSGARRRRVRCRCKACVQGEQVCHYCRDMKKFGGPGRMKQSCVLRQCLAPRLPHSVTCSLCEVDQNE  
 ETQDFEKKLMECCICNEIVHPGCLQMDGEGLLNEELPNCWECPKCYQEDSSEKAQKRKMEESDEEAVQAK  
 VLRPLRSCDEPLTPPPHSPTSMQLIHDPVSPRGMVTRSSPGAGPSDHHSASRDERFKRRQLLRQATER  
 TMVREKENNPSGKKELSEVEKAKIRGSYLTVTLQRPTKELHGTSIVPKLQAITASSANLRHSRVLVQHC  
 PARTPQRGDEEGLGGEEEEEEEEEDDSAEEGGAARLNGRGSWAQDGDSEWVQREVWMSVFRYLSRREL  
 CECMRVCKTWYKCCDKRLWTKIDL SRCKAIVPQALSGIIKRQPVSLDL SWTNI SKKQL TWLVNRLPGLK  
 DLLLAGCSWSAVSALSTSSCPLLRLDLRWAVGIKDPQIRDLLTPPADKPGQDNRSKLRNMTDFRLAGLD  
 ITDATLRLIIIRHPLLRLDL SHCSHL TDQSSNLLTAVGSSTRYSLT E LNMAGCNKLT DQTLIYLRRIAN  
 VTLIDLRGCKQITRKACEHFISDLSINSLYCLSDEKLIQKIS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: [https://cdn.origene.com/chromatograms/mk6167\\_h06.zip](https://cdn.origene.com/chromatograms/mk6167_h06.zip)

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM\_012308

ORF Size: 3486 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_012308.3</a>
<b>RefSeq Size:</b>	6210 bp
<b>RefSeq ORF:</b>	3489 bp
<b>Locus ID:</b>	22992
<b>UniProt ID:</b>	<a href="#">Q9Y2K7</a>
<b>Cytogenetics:</b>	11q13.2
<b>Domains:</b>	F-box, PHD, zf-CXXC, JmjC, LRR_CC
<b>Protein Families:</b>	Druggable Genome, Transcription Factors
<b>MW:</b>	132.6 kDa
<b>Gene Summary:</b>	This gene encodes a member of the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene belongs to the Fbls class and, in addition to an F-box, contains at least six highly degenerated leucine-rich repeats. This family member plays a role in epigenetic silencing. It nucleates at CpG islands and specifically demethylates both mono- and di-methylated lysine-36 of histone H3. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2012]

Product images:



Circular map for RC223440