

Product datasheet for RC223478L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Dopamine Receptor D3 (DRD3) (NM_033663) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Dopamine Receptor D3 (DRD3) (NM_033663) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Dopamine Receptor D3

Synonyms: D3DR; ETM1; FET1

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this

Sequence:

The ORF insert of this clone is exactly the same as(RC223478).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_033663

ORF Size: 1101 bp



Dopamine Receptor D3 (DRD3) (NM_033663) Human Tagged Lenti ORF Clone - RC223478L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 033663.2</u>

RefSeq Size:1398 bpRefSeq ORF:1104 bpLocus ID:1814

 UniProt ID:
 P35462

 Cytogenetics:
 3q13.31

Protein Families: Druggable Genome, GPCR, Transmembrane

Protein Pathways: Neuroactive ligand-receptor interaction

MW: 40.5 kDa


Gene Summary: This gene encodes the D3 subtype of the five (D1-D5) dopamine receptors. The activity of the

D3 subtype receptor is mediated by G proteins which inhibit adenylyl cyclase. This receptor is localized to the limbic areas of the brain, which are associated with cognitive, emotional, and endocrine functions. Genetic variation in this gene may be associated with susceptibility to hereditary essential tremor 1. Alternative splicing of this gene results in transcript variants encoding different isoforms, although some variants may be subject to nonsense-mediated

decay (NMD). [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC223478L3