

Product datasheet for RC223507L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Olfactory receptor 13C8 (OR13C8) (NM_001004483) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Olfactory receptor 13C8 (OR13C8) (NM_001004483) Human Tagged Lenti ORF Clone

Tag: mGFF

Symbol: Olfactory receptor 13C8

Synonyms: OR9-10; OR37H

Mammalian Cell

Selection:

Puromycin

Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC223507).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001004483

ORF Size: 960 bp



Olfactory receptor 13C8 (OR13C8) (NM_001004483) Human Tagged Lenti ORF Clone - RC223507L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001004483.1</u>, <u>NP 001004483.1</u>

 RefSeq Size:
 963 bp

 RefSeq ORF:
 963 bp

 Locus ID:
 138802

 UniProt ID:
 Q8NGS7

 Cytogenetics:
 9q31.1

Protein Families: Transmembrane

Protein Pathways: Olfactory transduction

MW: 35.1 kDa


Gene Summary: Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal

response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and

proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC223507L4