

## **Product datasheet for RC223578**

### MAGEA6 (NM 005363) Human Tagged ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** MAGEA6 (NM\_005363) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: MAGEA6

Synonyms: CT1.6; MAGE-3b; MAGE3B; MAGE6

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC223578 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >RC223578 protein sequence

Red=Cloning site Green=Tags(s)

MPLEQRSQHCKPEEGLEARGEALGLVGAQAPATEEQEAASSSSTLVEVTLGEVPAAESPDPPQSPQGASS LPTTMNYPLWSQSYEDSSNQEEEGPSTFPDLESEFQAALSRKVAKLVHFLLLKYRAREPVTKAEMLGSVV GNWQYFFPVIFSKASDSLQLVFGIELMEVDPIGHVYIFATCLGLSYDGLLGDNQIMPKTGFLIIILAIIA KEGDCAPEEKIWEELSVLEVFEGREDSIFGDPKKLLTQYFVQENYLEYRQVPGSDPACYEFLWGPRALIE TSYVKVLHHMVKISGGPRISYPLLHEWALREGEE


TRTRPLEOKLISEEDLAANDILDYKDDDDKV

Chromatograms: <a href="https://cdn.origene.com/chromatograms/mk6552">https://cdn.origene.com/chromatograms/mk6552</a> c07.zip

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_005363

ORF Size: 942 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore,

OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:customercom">customercom</a> or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>



#### MAGEA6 (NM\_005363) Human Tagged ORF Clone - RC223578

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 005363.3</u>

 RefSeq Size:
 1723 bp

 RefSeq ORF:
 945 bp

 Locus ID:
 4105

 UniProt ID:
 P43360

 Cytogenetics:
 Xq28

 MW:
 34.9 kDa


**Gene Summary:** This gene is a member of the MAGEA gene family. The members of this family encode

proteins with 50 to 80% sequence identity to each other. The promoters and first exons of the MAGEA genes show considerable variability, suggesting that the existence of this gene family enables the same function to be expressed under different transcriptional controls. The MAGEA genes are clustered at chromosomal location Xq28. They have been implicated in some hereditary disorders, such as dyskeratosis congenita. Alternative splicing results in


multiple transcript variants. [provided by RefSeq, Aug 2013]



# **Product images:**



Circular map for RC223578



Western blot validation of overexpression lysate (Cat# [LY417359]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC223578 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).