

Product datasheet for RC223590L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Signal peptide peptidase like 2B (SPPL2B) (NM_152988) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Signal peptide peptidase like 2B (SPPL2B) (NM_152988) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Signal peptide peptidase like 2B

Synonyms: IMP-4; IMP4; PSH4; PSL1

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC223590).

Sequence:

Restriction Sites: Sgfl-Rsrll

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_152988

ORF Size: 1776 bp





Signal peptide peptidase like 2B (SPPL2B) (NM_152988) Human Tagged Lenti ORF Clone – RC223590L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 152988.1, NP 694533.1

 RefSeq Size:
 2557 bp

 RefSeq ORF:
 1779 bp

 Locus ID:
 56928

 UniProt ID:
 Q8TCT7

 Cytogenetics:
 19p13.3

Protein Families: Protease, Transmembrane

MW: 64.5 kDa


Gene Summary: This gene encodes a member of the GXGD family of aspartic proteases. The GXGD proteases

are transmembrane proteins with two conserved catalytic motifs localized within the membrane-spanning regions. This enzyme localizes to endosomes, lysosomes, and the plasma membrane. It cleaves the transmembrane domain of tumor necrosis factor alpha to release the intracellular domain, which triggers cytokine expression in the innate and adaptive immunity pathways. Multiple transcript variants encoding different isoforms have

been found for this gene. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC223590L4