

Product datasheet for RC223609

BIN1 (NM_139351) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	BIN1 (NM_139351) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	BIN1
Synonyms:	AMPH2; AMPHL; CNM2; SH3P9
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC223609 representing NM_139351 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCAGAGATGGGCAGTAAAGGGTGACGGCGGGAAAGATCGCCAGCAACGTGCAGAAGAAGCTCACCC
GCGCGCAGGAGAAGGTTCTCCAGAAGCTGGGAAGGCAGATGAGACCAAGGATGAGCAGTTTGAGCAGTG
CGTCCAGAATTTCAACAAGCAGCTGACGGAGGGCACCCGGCTGCAGAAGGATCTCCGGACCTACCTGGCC
TCCGTCAAAGCCATGCACGAGGCTTCCAAGAAGCTGAATGAGTGTCTGCAGGAGGTGTATGAGCCCGATT
GGCCCGCAGGGATGAGGCAAACAAGATCGCAGAGAACAACGACCTGCTGTGGATGGATTACCACCAGAA
GCTGTTGGACCAGGCGCTGCTGACCATGGACACGTACCTGGGCCAGTTCCCGGACATCAAGTCACGCATT
GCCAAGCGGGGGCGCAAGCTGGTGGACTACGACAGTGCCCGGCACCACTACGAGTCCCTTCAAACCTGCCA
AAAAGAAGGATGAAGCCAAAATTGCCAAGGCCGAGGAGGAGCTCATCAAAGCCCAGAAGGTGTTTGGAGG
GATGAATGTGGATCTGCAGGAGGAGCTGCCGTCCTGTGGAACAGCCGCGTAGGTTTCTACGTCAACACG
TTCCAGAGCATCGCGGCCTGGAGGAAAACCTCCACAAGGAGATGAGCAAGCTCAACCAGAACCTCAATG
ATGTGCTGGTTCGGCCTGGAGAAGCAACCGGGAGCAACACCTTACGGTCAAGGCCAGCCAGTGCACAA
CGCGCTGCAAAAGGGAACAAGAGCCCTTCGCCTCCAGATGGCTCCCTGCCGCCACCCCGAGATCAGA
GTCAACCAGAGCCAGAGCCGGCCGGGGCCACGCCCGGGGCCACCCCTCCCAAGTCCCATCTCAGA
GCTCTCTTCTGCTGCTGCTGGTGGAGACCTTCCAGCAACTGTGAATGGCACCGTGGAGGGCGGAGTGG
GGCCGGGCGCTTGGACCTGCCCCAGGTTTTCATGTTCAAGGTACAGGCCAGCAGACTACACGGCCACT
GACACAGACGAGCTGCAGCTCAAGGCTGGTGTGTTGGTGTGTTGGTGTGTTGGTGTGTTGGTGTGTTGGT
AGGATGAAGGCTGGCTCATGGCGTGAAGGAGAGCGACTGGAACAGCACAAGGAGCTGGAGAAGTGCCG
TGGCGTCTCCCGGAGAATTCCTGAGAGGGTCCCA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



Protein Sequence: >RC223609 representing NM_139351
Red=Cloning site Green=Tags(s)

MAEMGSKGVTAGKIASNVQKKLTRAQEKVLQKLGADETKDEQFEQCVQNFNKQLTEGTRLQKDLRITYLA
 SVKAMHEASKKLNELQEVYEPDWPGRDEANKIAENNDLLWMDYHQKLDQALLTMDTYLGQFPDIKSRI
 AKRGRKLVYDYSARHHYELQTAKKKDEAKIAKAEELIKAQKVFEE MNVDLQEELPSLWNSRVGFYVNT
 FQSIAGLEENFHKEMSKLNQNLNDVLVGLEKQHGNTFTVKAQPSDNAPAKGNKSPSPDGSPEATPEIR
 VNHEPEPAGGATPGATLPKSPSQSSLPAVVVETFPATVNGTVEGGSGAGRLDLPPGFMFKVQAQHDYAT
 DTDELQLKAGDVVLVIFQNPPEEQDEGLMVGKESDWNQHKELEKCRGVFPENFTERVP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_139351

ORF Size: 1227 bp


OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_139351.3</u>
RefSeq Size:	2075 bp
RefSeq ORF:	1230 bp
Locus ID:	274
UniProt ID:	<u>O00499</u>
Cytogenetics:	2q14.3
Domains:	SH3, BAR, BAR
MW:	45.4 kDa
Gene Summary:	This gene encodes several isoforms of a nucleocytoplasmic adaptor protein, one of which was initially identified as a MYC-interacting protein with features of a tumor suppressor. Isoforms that are expressed in the central nervous system may be involved in synaptic vesicle endocytosis and may interact with dynamin, synaptojanin, endophilin, and clathrin. Isoforms that are expressed in muscle and ubiquitously expressed isoforms localize to the cytoplasm and nucleus and activate a caspase-independent apoptotic process. Studies in mouse suggest that this gene plays an important role in cardiac muscle development. Alternate splicing of the gene results in several transcript variants encoding different isoforms. Aberrant splice variants expressed in tumor cell lines have also been described. [provided by RefSeq, Mar 2016]

Product images:



Circular map for RC223609