

Product datasheet for RC223613L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Presenilin 2 (PSEN2) (NM 000447) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Presenilin 2 (PSEN2) (NM_000447) Human Tagged ORF Clone Lentiviral Particle

Symbol: Presenilin 2

Synonyms: AD3L; AD4; CMD1V; PS2; STM2

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_000447

ORF Size: 1344 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC223613).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 000447.1

 RefSeq Size:
 2236 bp

 RefSeq ORF:
 1347 bp

 Locus ID:
 5664

 UniProt ID:
 P49810

 Cytogenetics:
 1q42.13

Domains: Presenilin, PSN

Protein Families: Druggable Genome, Protease, Transmembrane





Protein Pathways: Alzheimer's disease, Notch signaling pathway

MW: 50 kDa

Gene Summary: Alzheimer's disease (AD) patients with an inherited form of the disease carry mutations in the

presenilin proteins (PSEN1 or PSEN2) or the amyloid precursor protein (APP). These disease-linked mutations result in increased production of the longer form of amyloid-beta (main component of amyloid deposits found in AD brains). Presenilins are postulated to regulate APP processing through their effects on gamma-secretase, an enzyme that cleaves APP. Also, it is thought that the presenilins are involved in the cleavage of the Notch receptor such that, they either directly regulate gamma-secretase activity, or themselves act are protease enzymes. Two alternatively spliced transcript variants encoding different isoforms of PSEN2

have been identified. [provided by RefSeq, Jul 2008]