

## **Product datasheet for RC223616L4**

GLIS2 (NM\_032575) Human Tagged Lenti ORF Clone

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

# Product data:

**Product Type:** Expression Plasmids

**Product Name:** GLIS2 (NM\_032575) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: GLIS2

Synonyms: NKL; NPHP7

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC223616).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





st The last codon before the Stop codon of the ORF.

**ACCN:** NM\_032575

ORF Size: 1572 bp



### GLIS2 (NM\_032575) Human Tagged Lenti ORF Clone - RC223616L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 032575.2

 RefSeq Size:
 3705 bp

 RefSeq ORF:
 1575 bp

 Locus ID:
 84662

 UniProt ID:
 Q9BZE0

 Cytogenetics:
 16p13.3

Domains: zf-C2H2

**Protein Families:** ES Cell Differentiation/IPS

**MW:** 55.5 kDa

**Gene Summary:** This gene is a member of the GLI-similar zinc finger protein family and encodes a nuclear


transcription factor with five C2H2-type zinc finger domains. The protein encoded by this gene is widely expressed at low levels in the neural tube and peripheral nervous system and likely promotes neuronal differentiation. It is abundantly expressed in the kidney and may have a role in the regulation of kidney morphogenesis. p120 regulates the expression level of this protein and induces the cleavage of this protein's C-terminal zinc finger domain. This protein also promotes the nuclear translocation of p120. Mutations in this gene cause nephronophthisis (NPHP), an autosomal recessive kidney disease characterized by tubular basement membrane disruption, interstitial lymphohistiocytic cell infiltration, and

development of cysts at the corticomedullary border of the kidneys.[provided by RefSeq, Jan

2010]



# **Product images:**



Circular map for RC223616L4