

Product datasheet for RC223729

IL37 (NM 173204) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: IL37 (NM_173204) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: IL37

Synonyms: FIL1; FIL1(ZETA); FIL1Z; IL-1F7; IL-1H; IL-1H4; IL-1RP1; IL-23; IL-37; IL1F7; IL1H4; IL1RP1

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Cell Selection: Neomycin

>RC223729 representing NM_173204 **ORF Nucleotide**

Red=Cloning site Blue=ORF Green=Tags(s) Sequence:

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGTCCTTTGTGGGGGAGAACTCAGGAGTGAAAATGGGCTCTGAGGACTGGGAAAAAGATGAACCCCAGT GCTGCTTAGAAGACCCGGCTGGAAGCCCCCTGGAACCAGGCCCAAGCCTCCCCACCATGAATTTTGTTCA CACAAAGATCTTCTTTGCATTAGCCTCATCCTTGAGCTCAGCCTCTGCGGAGAAAGGAAGTCCGATTCTC AGCTGAAGAAGGAGAAACTGATGAAGCTGGCTGCCCAAAAGGAATCAGCACGCCGGCCCTTCATCTTTTA TAGGGCTCAGGTGGGCTCCTGGAACATGCTGGAGTCGGCGGCTCACCCCGGATGGTTCATCTGCACCTCC TGCAATTGTAATGAGCCTGTTGGGGTGACAGATAAATTTGAGAACAGGAAACACATTGAATTTTCATTTC

AACCAGTTTGCAAAGCTGAAATGAGCCCCAGTGAGGTCAGCGAT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC223729 representing NM_173204

Red=Cloning site Green=Tags(s)

MSFVGENSGVKMGSEDWEKDEPQCCLEDPAGSPLEPGPSLPTMNFVHTKIFFALASSLSSASAEKGSPIL LGVSKGEFCLYCDKDKGQSHPSLQLKKEKLMKLAAQKESARRPFIFYRAQVGSWNMLESAAHPGWFICTS

CNCNEPVGVTDKFENRKHIEFSFQPVCKAEMSPSEVSD

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_173204

ORF Size: 534 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 173204.1</u>, <u>NP 775296.1</u>

RefSeq Size: 667 bp
RefSeq ORF: 537 bp
Locus ID: 27178
UniProt ID: Q9NZH6
Cytogenetics: 2q14.1

Protein Families: Druggable Genome, Secreted Protein

MW: 19.4 kDa

Gene Summary: The protein encoded by this gene is a member of the interleukin 1 cytokine family. This

cytokine can bind to, and may be a ligand for interleukin 18 receptor (IL18R1/IL-1Rrp). This cytokine also binds to interleukin 18 binding protein (IL18BP), an inhibitory binding protein of interleukin 18 (IL18), and subsequently forms a complex with IL18 receptor beta subunit, and through which it inhibits the activity of IL18. This gene along with eight other interleukin 1 family genes form a cytokine gene cluster on chromosome 2. Five alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq, Jul

2008]