

Product datasheet for RC223767L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

LXR alpha (NR1H3) (NM_005693) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: LXR alpha (NR1H3) (NM_005693) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: LXR alpha

Synonyms: LXR-a; LXRA; RLD-1

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC223767).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_005693

ORF Size: 1341 bp



LXR alpha (NR1H3) (NM_005693) Human Tagged Lenti ORF Clone - RC223767L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 005693.1</u>

 RefSeq Size:
 1528 bp

 RefSeq ORF:
 1344 bp

 Locus ID:
 10062

 UniProt ID:
 Q13133

 Cytogenetics:
 11p11.2

Domains: HOLl. zf-C4

Protein Families: Druggable Genome, Nuclear Hormone Receptor, Transcription Factors

Protein Pathways: PPAR signaling pathway

MW: 50.2 kDa

Gene Summary: The protein encoded by this gene belongs to the NR1 subfamily of the nuclear receptor

superfamily. The NR1 family members are key regulators of macrophage function, controlling transcriptional programs involved in lipid homeostasis and inflammation. This protein is


highly expressed in visceral organs, including liver, kidney and intestine. It forms a heterodimer with retinoid X receptor (RXR), and regulates expression of target genes containing retinoid response elements. Studies in mice lacking this gene suggest that it may

play an important role in the regulation of cholesterol homeostasis. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by


RefSeq, Oct 2011]



Product images:



Circular map for RC223767L1



Double digestion of RC223767L1 using Sgfl and Mlul