

Product datasheet for RC223767L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

LXR alpha (NR1H3) (NM 005693) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: LXR alpha (NR1H3) (NM_005693) Human Tagged ORF Clone Lentiviral Particle

Symbol: LXR alpha

Synonyms: LXR-a; LXRA; RLD-1

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_005693 **ORF Size:** 1341 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC223767).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally accurring variations (e.g. polymorphisms), each with its own valid existence. This

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 005693.1

 RefSeq Size:
 1528 bp

 RefSeq ORF:
 1344 bp

 Locus ID:
 10062

 UniProt ID:
 Q13133

 Cytogenetics:
 11p11.2

Domains: HOLI, zf-C4

Protein Families: Druggable Genome, Nuclear Hormone Receptor, Transcription Factors





Protein Pathways: PPAR signaling pathway

MW: 50.2 kDa

Gene Summary: The protein encoded by this gene belongs to the NR1 subfamily of the nuclear receptor

superfamily. The NR1 family members are key regulators of macrophage function, controlling transcriptional programs involved in lipid homeostasis and inflammation. This protein is highly expressed in visceral organs, including liver, kidney and intestine. It forms a heterodimer with retinoid X receptor (RXR), and regulates expression of target genes containing retinoid response elements. Studies in mice lacking this gene suggest that it may play an important role in the regulation of cholesterol homeostasis. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by

RefSeq, Oct 2011]