

Product datasheet for RC223809L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RUNX1 (NM 001754) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: RUNX1 (NM 001754) Human Tagged ORF Clone Lentiviral Particle

Symbol:

AML1; AML1-EVI-1; AMLCR1; CBF2alpha; CBFA2; EVI-1; PEBP2aB; PEBP2alpha Synonyms:

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK NM 001754 ACCN: **ORF Size:** 1440 bp

ORF Nucleotide

OTI Disclaimer:

Sequence:

The ORF insert of this clone is exactly the same as(RC223809).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 001754.3

RefSeq Size: 6190 bp RefSeq ORF: 1443 bp

Locus ID: 861

<u>Q011</u>96 **UniProt ID:** Cytogenetics: 21q22.12

Domains: Runt

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Transcription Factors





RUNX1 (NM_001754) Human Tagged ORF Clone Lentiviral Particle - RC223809L1V

Protein Pathways: Acute myeloid leukemia, Chronic myeloid leukemia, Pathways in cancer

MW: 51.6 kDa

Gene Summary: Core binding factor (CBF) is a heterodimeric transcription factor that binds to the core

element of many enhancers and promoters. The protein encoded by this gene represents the

alpha subunit of CBF and is thought to be involved in the development of normal

hematopoiesis. Chromosomal translocations involving this gene are well-documented and have been associated with several types of leukemia. Three transcript variants encoding

different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]