

Product datasheet for RC223831L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

P4HA1 (NM 000917) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: P4HA1 (NM_000917) Human Tagged ORF Clone Lentiviral Particle

Symbol: P4HA Synonyms:

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Myc-DDK Tag: NM 000917 ACCN: **ORF Size:** 1602 bp

ORF Nucleotide

OTI Disclaimer:

Sequence:

The ORF insert of this clone is exactly the same as(RC223831).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 000917.2

RefSeq Size: 2752 bp RefSeq ORF: 1605 bp Locus ID: 5033 **UniProt ID:** P13674 Cytogenetics: 10q22.1

Domains: 2OG-Fell_Oxy, P4Hc

Protein Families: Druggable Genome, P450





P4HA1 (NM_000917) Human Tagged ORF Clone Lentiviral Particle - RC223831L1V

Protein Pathways: Arginine and proline metabolism, Metabolic pathways

MW: 61.05 kDa

Gene Summary: This gene encodes a component of prolyl 4-hydroxylase, a key enzyme in collagen synthesis

composed of two identical alpha subunits and two beta subunits. The encoded protein is one of several different types of alpha subunits and provides the major part of the catalytic site of the active enzyme. In collagen and related proteins, prolyl 4-hydroxylase catalyzes the formation of 4-hydroxyproline that is essential to the proper three-dimensional folding of

newly synthesized procollagen chains. Alternatively spliced transcript variants encoding

different isoforms have been described. [provided by RefSeq, Jul 2008]