

Product datasheet for RC223833

UBE3B (NM_183415) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	UBE3B (NM_183415) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	UBE3B
Synonyms:	BPIDS; KOS
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC223833 representing NM_183415 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGTTACCCCTGTCTCAGACCTCGAGAGCATGGTTCATCGATAGAGCCCGTCAGGCACGAGAAGAAAGGC
TTGTGCAGAAGGAACGGGAGCGGGCAGCTGTTGTGATCCAGGCCCATGTCCGGAGTTTTCTCTGTGCGGAG
TCGACTGCAGAGAGATATCAGGAGAGAGATTGATGACTTTTTAAAGCAGATGACCCTGAGTCCACTAAA
AGAAGTGCACCTTTGTATTTCAAGATTGCCAGGAACTGCTGTTCTATTCAAGATCAAAGAGGATAATG
AGAGATTTGAGAAGTTGTGTCGACGATCCTGAGCAGCATGGATGCTGAGAATGAGCCTAAGGTGTGGTA
TGTGTCCCTGGCTTGTCTAAGGACCTCACCTCCTTTGGATTCAACAGATCAAGAACATTTTGTGGTAC
TGCTGTGATTTTCTCAAGCAGCTCAAGCCTGAAATCCTGCAGGACTCCCGACTCATCACCTGTACCTCA
CGATGCTTGTACCTTCACAGACTTCAACGTGGAAAATTTCTCGGGGAAAAGGTGAAAGTCTTCGACC
AGCGATGAACCACATTTGTGCAATATAATGGGACATCTCAACCAGCATGGATTTTATTCTGTGCTGCAG
ATATTGTTAACCCGTGGCCTGGCAAGACCCCGTCTTGTCTATCCAAAGGCATTTAACAGCAGCTTTTT
CTCTAGCGTTACGCCCTGTGATTGCTGCACAGTCTCAGACAATCTGATTCGGCCGTTCCATCCACAT
CATGCTGTGCTGCTCTGGTGACTCATCTCAGCACAGTGACCCCTGAGCGCCTCACTGTTTTAGAATCC
CATGACATGCTTCGTAATTCATCATATTTTTAAGAGACCAAGATCGATGCCGTGATGATGTGAAAGTT
TAGAAGGATGCCATACGCTTTGTCTAATGGCAACCTCCTACACTGGGCTCCCTCAGCCCCAGAGTGT
AGAGGAGGAGACAGATGGTTCTGTGAGTTTGTCAACCAGACGCTGTGCTACTGTGAGAAGTATGTGCT
CAGAAGAAGTCCAACCTGACCCACTGGCATCCTGTCTTGGTGGTTCTCCCAATCTGTGGATTATGGCC
TTAACGAGTCAATGCACTTGATCACAAACAGCTGCAGTCTTGTGGGGGTGCCCTGATCCGGATCTT
CTTCTGTGACATCCTGAGCAAGAAGCTACTGGAGAGCCAGGAGCCAGCCACGCACAGCCAGCATCCCT
CAGAATGTGCTCCAGTGAAGAGTCTCCTAAAGCGTGCTTTTCAAAGTCCGGCATCAGTCCGGAATATTC
TCAGGCCGTGTCGGGGTAAACGGGTCGACTCTGCAGAAGTCCAGAAGTTTGAACATCTGTGCTCCTCA
CCAGACCTCGTGACAACCTCACACAGATTCCGCTGCAGATACTCACAGGTCTCACTTACCTTGATGAC



[View online >](#)

CTGCTTCCAAACTGTGGGCATTTATCTGTGAGCTCGGGCCCCACGGAGGGTTAAAGCTCTTCTTGAAT
 GCCTGAACAATGACACTGAAGAGTCCAAGCAACTCTTGGCCATGCTGATGCTGTTCTGTGACTGTTCCGC
 GCACCTCATACAATCCTTGATGACATTGAAGTTTATGAAGAACAGATTTCAATCAAAGAGAGCTG
 GTCATATCTCCTCTTCTGAATTCTTTGTGTTAAGATGATCTGGGATGGAATTGTAGAGAACGCCA
 AGGGTGAGACCTTGGAGCTGTCCAGTCTGTCCACGGGTGGCTTATGGTGTGTACGAGCGGGACTGCCG
 GCGCGCTTACCCCGAGGACCACTGGCTGCGAAAGGATCTCAAACCTAGCGTGCTCTTCCAAGAACTC
 GACAGGGACAGAAAACGGGCACAGTTGATCTGACAGTACATCCACATGTCATCCCTCACAAAAACAGAG
 TTCTACTGTTTCGAACCATGGTTACCAAGGAGAAGGAGAAAACGGGGCTGGTGGAAACCACTCTGCCTC
 CCCGATGTCACATCACCATCCGCCGGTCCAGGATGCTGGAGGACGGCTACGAGCAGCTTAGGCAG
 CTCTCCAGCACGCCATGAAGGGGGTATCCGTGTGAAGTTTGTCAATGACCTCGGGGTGGACGAAGCAG
 GGATTGATCAAGACGGTGTAAAAAGGAGTTCTTGAAGAGATCATCAAGAGAGTTTTTACCCAGCACT
 CAATCTGTTCAAGACAACCAGTGGGGATGAGAGGCTGTACCCCTCACCCACATCTACATCCATGAGAAT
 TACCTGCAGCTCTTCGAGTTTGTGGGAAGATGCTGGGAAGGCTGTGTATGAGGGAATTGTGGTGGACG
 TGCCATTTGCATCTTCTCTGAGCCAACTGCTTGGCACCACCACAGCGTCTTCTATAGCTCGGTGGA
 TGAAGTGCCTTCTGGACTCCGAGTTCTATAAAAACCTCACCTCCATCAAGCGTATGATGGGGACATC
 ACTGACCTGGGCCTGACGCTGTCTACGACGAGGACGTCATGGGTGAGCTGTTTCCCATGAACTGATTC
 CTGGAGGGAAGACCATTCTGTTACAAATGAAAATAAAATTAGCTACATCCATCTGATGGCACATTTTCG
 AATGCACACTCAAATAAAAAACCAACAGCTGCCCTCATTAGCGGATTCGGTCCATTATCAAACCCGAG
 TGGATCCGAATGTTCTCAACTCTGAACTGCAGCGTCTCATCTCTGGCGACAATGCTGAGATTGATCTGG
 AAGATTTAAAGAAGCACACAGTCTACTACGGTGGTTCCATGGAAGTACAGAGTCACTATCTGGCTCTG
 GGATTTCTGGCTCCGACTTACACCGGATGAGAGAGCTATGTTTCTGAAGTTCGTGACCAGCTGCTCC
 AGACCCCGCTCCTGGGATTCCCTACCTCAAGCTCCATTCTCCATCCGCTGCGTGGAGGTGTCCGACG
 ATCAGGACACCGGGGACACTCTGGGCAGCGTCTCCGGGGCTTCTCACCATCCGCAAGCGGGAGCCAGG
 CGGCCGCTGCCACCTCTCCACTGCTTCAACCTGCTCAAGCTGCCCAACTACAGCAAGAAGAGCGTCT
 CTCGCGAGAAGCTGCGCTACGCCATCAGCATGAACACGGGCTTTGAACTCTCC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC223833 representing NM_183415
 Red=Cloning site Green=Tags(s)

MFTLSQTSRAWFIDRRARQAREERLVQKERERAAVVIQAHVRSFLCRSRLQRDIRREIDFFKADDPSTK
 RSALCIFKIARKLLFLRIKEDNERFEKLCRSILSSMDAENEPKVWVYVSLACSKDLTLLWIQQIKNILWY
 CCDFLKQLKPEILQDSRLITLYLTMLVFTDTSTWKILRGKESLRPAMNHICANIMGHLNQHGFYSVLQ
 ILLTRGLARPRCLSKGTLTAAFSALALRPVIAAQFSDNLIRPFLIHIMSVPALVTHLSTVTPERLTVLES
 HDMLRKFIIFLRDQDRCDVCELEGCHTLCLMGNLLHLGSLSPRVLEETDGFVSLLTQTLCYCQKYVS
 QKKNLTHWHPVLGWFSSQVDYGLNESMHLITKQLQFLWGVPLIRIFFCDILSKLLESQEPAAHQASP
 QNVLVVKSLKRAFQKSASVRNLRPVGKRVDSAEVQKVCNICVLYQTSLLTTLTQIRLQILTGLTYLDD
 LLPKLWAFICELGPHGGLKLFLECLNNDTEESKQLLAMLMFCDCSRHLITLDDIEVYEEQISFKLEEL
 VTISSFLNSFVKMIWDGIVENAKGETLELFQSVHGLMVLVERDCRRRFTPEDHWRKDLKPSVLFQEL
 DRDRKRAQLILQYIPHVIPHKNRVLLFRMTVTEKEKGLVETSSASPHVTHITIRSRMLEDGYEQLRQ
 LSQHMKGVIRVKFVNDLGVDEAGIDQDGVFKEFLEEIIKRVFDPALNLFKTTSGDERLYPSPTSIIHEN
 YLQLFEFVGKMLGKAVYEGIVVDVPFASFFLSLLGHHHSVFYSSVDELPSLDSEFYKNLTSIKRYDGI
 TDLGLTSLYDEDVMGQLVCHLIPGGKITPVNTENKISYIHLMAHFRMHTQIKNQTAALISGFRSIIKPE
 WIRMFSTPELQRLISGDNAEIDLEDLKKHTVYYGGFHGSHRVI IWLWDILASDFTPDERAMFLKFVTS
 RPPLLGFAYLKPPFSIRCVESVDDQDGTDLGSVLRGFFTIKREPPGRLPTSSCTFNLLKLPNYSKKS
 VLRKLRYSMTGFELS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:


ACCN: NM_183415

ORF Size: 3204 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_183415.3](#)

RefSeq Size: 5405 bp

RefSeq ORF: 3207 bp

Locus ID: 89910


UniProt ID: [Q7Z3V4](#)

Cytogenetics: 12q24.11
Protein Families: Druggable Genome
Protein Pathways: Ubiquitin mediated proteolysis

MW: 123.1 kDa

Gene Summary: The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: E1 ubiquitin-activating enzymes, E2 ubiquitin-conjugating enzymes, and E3 ubiquitin-protein ligases. This gene encodes a member of the E3 ubiquitin-conjugating enzyme family which accepts ubiquitin from an E2 ubiquitin-conjugating enzyme and transfers the ubiquitin to the targeted substrates. A HECT (homology to E6-AP C-terminus) domain in the C-terminus of the longer isoform of this protein is the catalytic site of ubiquitin transfer and forms a complex with E2 conjugases. Shorter isoforms of this protein which lack the C-terminal HECT domain are therefore unlikely to bind E2 enzymes. Alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene. [provided by RefSeq, Jul 2012]

Product images:



Circular map for RC223833