

### OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for RC223907L4

## VE Cadherin (CDH5) (NM\_001795) Human Tagged Lenti ORF Clone

## **Product data:**

Product Type:	Expression Plasmids
Product Name:	VE Cadherin (CDH5) (NM_001795) Human Tagged Lenti ORF Clone
Tag:	mGFP
Symbol:	VE Cadherin
Synonyms:	7B4; CD144
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC223907).
<b>Restriction Sites:</b>	Sgfl-Mlul
Cloning Scheme:	
	Cloning sites used for ORF Shuttling:
	Sgf I         ORF         Miu I            GCG ATC GCC         ATG          NNN         ACG CGT



ACCN: ORF Size: NM\_001795 2352 bp



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


	Cadherin (CDH5) (NM_001795) Human Tagged Lenti ORF Clone – RC223907L4
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Metho	<ul> <li>Dd: 1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ul>
RefSeq:	<u>NM 001795.3</u>
RefSeq Size:	4134 bp
RefSeq ORF:	2355 bp
Locus ID:	1003
UniProt ID:	<u>P33151</u>
Cytogenetics:	16q21
Domains:	Cadherin_C_term, CA
Protein Families:	Druggable Genome, ES Cell Differentiation/IPS, Transmembrane
Protein Pathways:	Cell adhesion molecules (CAMs), Leukocyte transendothelial migration
MW:	87.5 kDa

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### Section 223907L4 VE Cadherin (CDH5) (NM\_001795) Human Tagged Lenti ORF Clone – RC223907L4

# Gene Summary:This gene encodes a classical cadherin of the cadherin superfamily. The encoded<br/>preproprotein is proteolytically processed to generate the mature glycoprotein. This calcium-<br/>dependent cell-cell adhesion molecule is comprised of five extracellular cadherin repeats, a<br/>transmembrane region and a highly conserved cytoplasmic tail. Functioning as a classical<br/>cadherin by imparting to cells the ability to adhere in a homophilic manner, this protein plays<br/>a role in endothelial adherens junction assembly and maintenance. This gene is located in a<br/>gene cluster in a region on the long arm of chromosome 16 that is involved in loss of<br/>heterozygosity events in breast and prostate cancer. [provided by RefSeq, Nov 2015]

### **Product images:**



Circular map for RC223907L4

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US