

Product datasheet for RC223917

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Deoxyguanosine kinase (DGUOK) (NM_080918) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Deoxyguanosine kinase (DGUOK) (NM_080918) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: Deoxyguanosine kinase

Synonyms: dGK; MTDPS3; NCPH; PEOB4

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC223917 representing NM_080918

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCCGCGGGCCGCCTCTTTCTAAGTCGGCTTCGAGCACCCTTCAGTTCCATGGCCAAGAGCCCACTCG
AGGGCGTTTCCTCCAGAGGCCTGCACGCGGGGCGCGGGCCCCGAAGGCTCTCCATCGAAGGCAACAT
TGCTGTGGGAAAGTCCACGTTTGTGAAGTTACTCACGAAAACTTACCCAGAATGGCACGTAGCTACAGAA
CCTGTAGCAACATGGCAGAATATCCAGGCTGCTGCACCCAAAAAAGCCTGCACTGCCCAAAGTCTTGGAA
ACTTGCTGGATATGATGTACCGGGAGCCAGCACGATGGTCCTACACATTCCAGACATTTTCCTTTTTGAG
CCGCCTGAAAGTACAGCTGGAGCCCTTCCCTGAGAAACTCTTACAGGCCAGGAAGCCAGTACAGATCTTT
GAGAGGTCTGTGTACAGTGACAGGCTCCACTTTGAGGCTCTGATGAACATTCCAGTGCTGGTGTTGGATG
TCAATGATGATTTTTCTGAGGAAGTAACCAAACAAGAAGACCTCATGAGAGAGGTAAACACCTTTGTAAA
GAATCTG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC223917 representing NM_080918

Red=Cloning site Green=Tags(s)

MAAGRLFLSRLRAPFSSMAKSPLEGVSSSRGLHAGRGPRRLSIEGNIAVGKSTFVKLLTKTYPEWHVATE PVATWONIQAAGTOKACTAQSLGNLLDMMYREPARWSYTFQTFSFLSRLKVQLEPFPEKLLQARKPVQIF

ERSVYSDRLHFEALMNIPVLVLDVNDDFSEEVTKQEDLMREVNTFVKNL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV







https://cdn.origene.com/chromatograms/mk6480 a10.zip **Chromatograms:**

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

NM_080918 ACCN:

ORF Size: 567 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube Components:

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: NM 080918.3

RefSeq Size: 880 bp



RefSeq ORF: 570 bp Locus ID: 1716

UniProt ID: Q16854

Cytogenetics: 2p13.1

Protein Families: Druggable Genome

Protein Pathways: Metabolic pathways, Purine metabolism


MW: 17.3 kDa

Gene Summary: In mammalian cells, the phosphorylation of purine deoxyribonucleosides is mediated

predominantly by two deoxyribonucleoside kinases, cytosolic deoxycytidine kinase and mitochondrial deoxyguanosine kinase. The protein encoded by this gene is responsible for phosphorylation of purine deoxyribonucleosides in the mitochondrial matrix. In addition, this protein phosphorylates several purine deoxyribonucleoside analogs used in the treatment of lymphoproliferative disorders, and this phosphorylation is critical for the effectiveness of the analogs. Alternative splice variants encoding different protein isoforms have been described


for this gene. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC223917





Western blot validation of overexpression lysate (Cat# [LY409003]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC223917 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).