

Product datasheet for RC223923L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Synaptotagmin 14 (SYT14) (NM_153262) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Tag: Myc-DDK

Symbol: Synaptotagmin 14

Synonyms: SCAR11; sytXIV

Mammalian Cell Puromycin

Selection:


Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(RC223923).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:



			Kozak Consensus	
EcoR I	BamH I	RBS	Sgf I	ORF
CTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGC C ATG				
	Mlu I	Not I <u>Xho I</u>	Myc.Tag	
NNŇ		CGG CCG CTC GAG	CAG AAA CTC ATC T	CA GAA GAG
	TRT	R P L <u>E</u>	QKLI	S E E
DDK.Tag				
GAT CTG GCA GCA AAT GAT ATC CTG GAT TAC AAG GAT GAC GAC GAT AAG GTT TGGGTAGGAAG				
D L A A N D I	L DYK	D D D D K	_ v	

st The last codon before the Stop codon of the ORF.

ACCN: NM_153262

ORF Size: 1665 bp





Synaptotagmin 14 (SYT14) (NM_153262) Human Tagged Lenti ORF Clone | RC223923L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

RefSeq: <u>NM_153262.1</u>

RefSeq Size: 2960 bp

RefSeq ORF: 1668 bp

Locus ID: 255928

UniProt ID: Q8NB59

Cytogenetics: 1q32.2

Domains: C2

Protein Families: Transmembrane


MW: 62.1 kDa



Gene Summary:

This gene is a member of the synaptotagmin gene family and encodes a protein similar to other family members that mediate membrane trafficking in synaptic transmission. The encoded protein is a calcium-independent synaptotagmin. Mutations in this gene are a cause of autosomal recessive spinocerebellar ataxia-11 (SCARII), and a t(1;3) translocation of this gene has been associated with neurodevelopmental abnormalities. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, and a pseudogene of this gene is located on the long arm of chromosome 4. [provided by RefSeq, Dec 2011]

Product images:



Circular map for RC223923L3