

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC223949L3

GPR58 (TAAR2) (NM_014626) Human Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	GPR58 (TAAR2) (NM_014626) Human Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	GPR58
Synonyms:	GPR58; taR-2
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC223949).
Restriction Sites:	Sgfl-Mlul
Cloning Scheme:	
	Cloning sites used for ORF Shuttling:
	Sgfi ORF Miui



--- GCG ATC GC ATG --- // --- NNN ACG CGT ---

ACCN: ORF Size: NM_014626 918 bp



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts or DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This cone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More infoDTI Annotation:This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.Components:The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).Reconstitution Method:1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.S. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.MI 014626.2testesquercescue		SPR58 (TAAR2) (NM_014626) Human Tagged Lenti ORF Clone – RC223949L3
reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More infoOTI Annotation:This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.Components:The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).Reconstitution Method:1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and dadd 120°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.RefSeq:0.M. 014626.2RefSeq Size:921 bp921 bp9287Actions ID:0.991P5Cours ID:0.991P5Cuterifiamilies:0.991P5Cuterifiamilies:0.482.3Protein Families:0.48.02Neroactive ligand-receptor interactionMv:34.8.kDa	OTI Disclaimer:	of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by
varies depending on the nature of the gene.Components:The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).Reconstitution Method:1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.RefSeq:NM 014626.2RefSeq ORF:921 bp920 D21 bp9287JuiProt ID:09P1P5Cytogenetics:6q23.2Protein Families:Druggable Genome, GPCR, Transmembrane Neuroactive ligand-receptor interactionMV:34.8 kDa		reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing
containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).Reconstitution Method:1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.RefSeq:NM 014626.2 	OTI Annotation:	
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. RefSeq: NM 014626.2 RefSeq ORF: 921 bp 921 bp 9287 JniProt ID: 09P1P5 Cytogenetics: 6q23.2 Protein Families: Druggable Genome, GPCR, Transmembrane Protein Pathways: 84. Ba 	Components:	
RefSeq Size:921 bpRefSeq ORF:921 bpJocus ID:9287JniProt ID:Q9P1P5Cytogenetics:6q23.2Protein Families:Druggable Genome, GPCR, TransmembraneProtein Pathways:Neuroactive ligand-receptor interactionMW:34.8 kDa	Reconstitution Me	 Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of
RefSeq ORF:921 bpJocus ID:9287JniProt ID:Q9P1P5Cytogenetics:6q23.2Protein Families:Druggable Genome, GPCR, TransmembraneProtein Pathways:Neuroactive ligand-receptor interactionMW:34.8 kDa	RefSeq:	<u>NM 014626.2</u>
Locus ID:9287JniProt ID:Q9P1P5Cytogenetics:6q23.2Protein Families:Druggable Genome, GPCR, TransmembraneProtein Pathways:Neuroactive ligand-receptor interactionMW:34.8 kDa	RefSeq Size:	921 bp
JniProt ID:O9P1P5Cytogenetics:6q23.2Protein Families:Druggable Genome, GPCR, TransmembraneProtein Pathways:Neuroactive ligand-receptor interactionMW:34.8 kDa	RefSeq ORF:	921 bp
Cytogenetics: 6q23.2 Protein Families: Druggable Genome, GPCR, Transmembrane Protein Pathways: Neuroactive ligand-receptor interaction MW: 34.8 kDa	Locus ID:	9287
Protein Families:Druggable Genome, GPCR, TransmembraneProtein Pathways:Neuroactive ligand-receptor interactionMW:34.8 kDa	UniProt ID:	<u>Q9P1P5</u>
Protein Pathways:Neuroactive ligand-receptor interactionMW:34.8 kDa	Cytogenetics:	6q23.2
MW: 34.8 kDa	Protein Families:	Druggable Genome, GPCR, Transmembrane
	Protein Pathways:	Neuroactive ligand-receptor interaction
Gene Summary: Orphan receptor.[UniProtKB/Swiss-Prot Function]	MW:	34.8 kDa
	Gene Summary:	Orphan receptor.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US