

Product datasheet for RC223989L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Caldesmon (CALD1) (NM_033157) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Caldesmon (CALD1) (NM_033157) Human Tagged ORF Clone Lentiviral Particle

Symbol: Caldesmon

Synonyms: CDM; H-CAD; HCAD; L-CAD; LCAD; NAG22

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag:Myc-DDKACCN:NM_033157

ORF Size: 1692 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC223989).

Sequence:

Cytogenetics:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 033157.2, NP 149347.1

 RefSeq Size:
 4546 bp

 RefSeq ORF:
 1692 bp

 Locus ID:
 800

 UniProt ID:
 Q05682

Domains: Caldesmon

Protein Pathways: Vascular smooth muscle contraction

7q33





MW: 65.4 kDa

Gene Summary:

This gene encodes a calmodulin- and actin-binding protein that plays an essential role in the regulation of smooth muscle and nonmuscle contraction. The conserved domain of this protein possesses the binding activities to Ca(2+)-calmodulin, actin, tropomyosin, myosin, and phospholipids. This protein is a potent inhibitor of the actin-tropomyosin activated myosin MgATPase, and serves as a mediating factor for Ca(2+)-dependent inhibition of smooth muscle contraction. Alternative splicing of this gene results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Jul 2008]