

Product datasheet for RC224063L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

LRRFIP2 (NM_006309) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: LRRFIP2 (NM_006309) Human Tagged ORF Clone Lentiviral Particle

Symbol: LRRFIP2
Synonyms: HUFI-2

Mammalian Cell Puromycin

Selection: Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_006309

 ORF Size:
 2163 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC224063).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 006309.1</u>

 RefSeq Size:
 2412 bp

 RefSeq ORF:
 2166 bp

 Locus ID:
 9209

 UniProt ID:
 Q9Y608

 Cytogenetics:
 3p22.2

MW: 82 kDa







Gene Summary:

The protein encoded by this gene, along with MYD88, binds to the cytosolic tail of toll-like receptor 4 (TLR4), which results in activation of nuclear factor kappa B signaling. The ubiquitin-like protein FAT10 prevents the interaction of the encoded protein and TLR4, thereby inactivating the nuclear factor kappa B signaling pathway. In addition, this protein can downregulate the NLRP3 inflammasome by recruiting the caspase-1 inhibitor Flightless-I to the inflammasome complex. [provided by RefSeq, Jan 2017]