

Product datasheet for RC224155L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

alpha 1a Adrenergic Receptor (ADRA1A) (NM_000680) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: alpha 1a Adrenergic Receptor (ADRA1A) (NM_000680) Human Tagged ORF Clone Lentiviral

Particle

Symbol: alpha 1a Adrenergic Receptor
Synonyms: ADRA1C; ADRA1L1; ALPHA1AAR

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_000680

ORF Size: 1398 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC224155).

OTI Disclaimer:

Cytogenetics:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 000680.1</u>, <u>NP 000671.1</u>

 RefSeq Size:
 2290 bp

 RefSeq ORF:
 1401 bp

 Locus ID:
 148

 UniProt ID:
 P35348

Protein Families: Druggable Genome, GPCR, Transmembrane

8p21.2





alpha 1a Adrenergic Receptor (ADRA1A) (NM_000680) Human Tagged ORF Clone Lentiviral Particle – RC224155L2V

Protein Pathways: Calcium signaling pathway, Neuroactive ligand-receptor interaction, Vascular smooth muscle

contraction

MW: 51.3 kDa

Gene Summary: Alpha-1-adrenergic receptors (alpha-1-ARs) are members of the G protein-coupled receptor

superfamily. They activate mitogenic responses and regulate growth and proliferation of many cells. There are 3 alpha-1-AR subtypes: alpha-1A, -1B and -1D, all of which signal through the Gq/11 family of G-proteins and different subtypes show different patterns of activation. This gene encodes alpha-1A-adrenergic receptor. Alternative splicing of this gene generates four transcript variants, which encode four different isoforms with distinct C-termini but having similar ligand binding properties. [provided by RefSeq, Jul 2008]