

## **Product datasheet for RC224182**

## **UBE2I (NM 194260) Human Tagged ORF Clone**

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: UBE2I (NM\_194260) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: UBE21

**Synonyms:** C358B7.1; P18; UBC9

Mammalian Cell

Selection:

Neomycin

**Vector:** pCMV6-Entry (PS100001) **E. coli Selection:** Kanamycin (25 ug/mL)

ORF Nucleotide >RC224182 representing NM\_194260

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGTCGGGGATCGCCCTCAGCAGACTCGCCCAGGAGAGGAAAGCATGGAGGAAAGACCACCCATTTGGTT
TCGTGGCTGTCCCAACAACAAAAATCCCGATGGCACGATGAACCTCATGAACTGGAGTGCGCCATTCCAGG
AAAGAAAGGGACTCCGTGGGAAGGAGGCTTGTTTAAACTACGGATGCTTTTCAAAGATGATTATCCATCT
TCGCCACCAAAATGTAAATTCGAACCACCATTATTTCACCCGAATGTGTACCCTTCGGGGACAGTGTGCC
TGTCCATCTTAGAGGAGGACAAGGACTGGAGGCCAGCCATCACAATCAAACAGATCCTATTAGGAATACA
GGAACTTCTAAATGAACCAAATATCCAAGACCCAGCTCAAGCAGAGCCTACACGATTTACTGCCAAAAC
AGAGTGGAGTACGAGAAAAAGGGTCCGAGCACAAGCCAAGAAGTTTGCGCCCTCA

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC224182 representing NM\_194260

Red=Cloning site Green=Tags(s)

MSGIALSRLAQERKAWRKDHPFGFVAVPTKNPDGTMNLMNWECAIPGKKGTPWEGGLFKLRMLFKDDYPS SPPKCKFEPPLFHPNVYPSGTVCLSILEEDKDWRPAITIKQILLGIQELLNEPNIQDPAQAEAYTIYCQN

RVEYEKRVRAQAKKFAPS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6408 f07.zip



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_194260

ORF Size: 474 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 194260.3</u>

RefSeq Size: 1144 bp RefSeq ORF: 477 bp Locus ID: 7329



UniProt ID: P63279
Cytogenetics: 16p13.3

Protein Pathways: Ubiquitin mediated proteolysis


**MW:** 17.8 kDa

**Gene Summary:** The modification of proteins with ubiquitin is an important cellular mechanism for targeting


abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. Four alternatively spliced transcript variants encoding the same

protein have been found for this gene. [provided by RefSeq, Jul 2008]

## **Product images:**




Circular map for RC224182



Western blot validation of overexpression lysate (Cat# [LY405115]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC224182 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).





Coomassie blue staining of purified UBE2I protein (Cat# [TP324182]). The protein was produced from HEK293T cells transfected with UBE2I cDNA clone (Cat# RC224182) using MegaTran 2.0 (Cat# [TT210002]).