

## Product datasheet for RC224226L2

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Oxytocin neurophysin 1 (OXT) (NM\_000915) Human Tagged Lenti ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** Oxytocin neurophysin 1 (OXT) (NM\_000915) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Oxytocin neurophysin 1

Synonyms: OT; OT-NPI; OXT-NPI

Mammalian Cell None

Selection:

**Vector:** pLenti-C-mGFP (PS100071)

**E. coli Selection:** Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC224226).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





 $<sup>\</sup>ensuremath{^*}$  The last codon before the Stop codon of the ORF.

**ACCN:** NM\_000915

ORF Size: 375 bp



#### Oxytocin neurophysin 1 (OXT) (NM\_000915) Human Tagged Lenti ORF Clone - RC224226L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 000915.2</u>

 RefSeq Size:
 512 bp

 RefSeq ORF:
 378 bp

 Locus ID:
 5020

 UniProt ID:
 P01178

 Cytogenetics:
 20p13

**Protein Families:** Secreted Protein

**MW:** 12.72 kDa


**Gene Summary:** This gene encodes a precursor protein that is processed to produce oxytocin and

neurophysin I. Oxytocin is a posterior pituitary hormone which is synthesized as an inactive precursor in the hypothalamus along with its carrier protein neurophysin I. Together with neurophysin, it is packaged into neurosecretory vesicles and transported axonally to the nerve endings in the neurohypophysis, where it is either stored or secreted into the bloodstream. The precursor seems to be activated while it is being transported along the axon to the posterior pituitary. This hormone contracts smooth muscle during parturition and lactation. It is also involved in cognition, tolerance, adaptation and complex sexual and maternal behaviour, as well as in the regulation of water excretion and cardiovascular

functions. [provided by RefSeq, Dec 2013]



# **Product images:**



Circular map for RC224226L2