

### Product datasheet for RC224278L4

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

## Fibrinogen alpha chain (FGA) (NM\_000508) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Tag: mGFP

Symbol: Fibrinogen alpha chain

Synonyms: Fib2

Mammalian Cell Puromycin

Selection:


Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(RC224278).

Restriction Sites: Sgfl-Rsrll

**Cloning Scheme:** 



	EcoRI BamHI					RBS					Koza	_	995					
	ECOKI			builln i			KB3			SgfI				ORF				
CTATAGGGCGGCCG	GGAATTO	GTC	GACT	GGAT	ccG	TACC	GAG	SAGA	тстб	ccGc	cgcg	ATCG	C C AT	G			-	
	Rsr II		Mlu I			Not I			101		m	Tag						
NNŇ	AGC GGA S G	CCG P	ACG T		ACG T		CCG P	CTC L	GAG E	ATG M	AGC S	GGG G	GGC G			-:-	<u></u>	
GGA CTC A G L	AGA GTT R V	TGG	GTA	GGA.	AGC													

 $<sup>\</sup>ensuremath{^{*}}$  The last codon before the Stop codon of the ORF.

**ACCN:** NM\_000508

ORF Size: 2598 bp





## Fibrinogen alpha chain (FGA) (NM\_000508) Human Tagged Lenti ORF Clone | RC224278L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

**RefSeq:** <u>NM\_000508.3</u>

RefSeq Size: 3655 bp

RefSeq ORF: 2601 bp

**Locus ID:** 2243

**UniProt ID:** <u>P02671</u>

Cytogenetics: 4q31.3

Domains: FBG

**Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** Complement and coagulation cascades


**MW:** 94.97 kDa



#### Gene Summary:

This gene encodes the alpha subunit of the coagulation factor fibrinogen, which is a component of the blood clot. Following vascular injury, the encoded preproprotein is proteolytically processed by thrombin during the conversion of fibrinogen to fibrin. Mutations in this gene lead to several disorders, including dysfibrinogenemia, hypofibrinogenemia, afibrinogenemia and renal amyloidosis. Alternative splicing results in multiple transcript variants, at least one of which encodes an isoform that undergoes proteolytic processing. [provided by RefSeq, Jan 2016]

# **Product images:**



Circular map for RC224278L4