

Product datasheet for RC224281L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Lunatic Fringe (LFNG) (NM_001040167) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Lunatic Fringe (LFNG) (NM_001040167) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Lunatic Fringe

Synonyms: SCDO3

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC224281).

Sequence:

Sgfl-Mlul

Restriction Sites: Cloning Scheme:





st The last codon before the Stop codon of the ORF.

ACCN: NM_001040167

ORF Size: 1137 bp



Lunatic Fringe (LFNG) (NM_001040167) Human Tagged Lenti ORF Clone - RC224281L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001040167.1</u>

RefSeq Size:2384 bpRefSeq ORF:1140 bpLocus ID:3955

UniProt ID: Q8NES3

Cytogenetics: 7p22.3

Protein Families: Transmembrane

Protein Pathways: Notch signaling pathway

MW: 41.77 kDa

Gene Summary: This gene is a member of the glycosyltransferase 31 gene family. Members of this gene

family, which also includes the MFNG (GeneID: 4242) and RFNG (GeneID: 5986) genes, encode evolutionarily conserved glycosyltransferases that act in the Notch signaling pathway to define boundaries during embryonic development. While their genomic structure is distinct


from other glycosyltransferases, these proteins have a fucose-specific beta-1,3-N-

acetylglucosaminyltransferase activity that leads to elongation of O-linked fucose residues on Notch, which alters Notch signaling. The protein encoded by this gene is predicted to be a single-pass type II Golgi membrane protein but it may also be secreted and proteolytically processed like the related proteins in mouse and Drosophila (PMID: 9187150). Mutations in this gene have been associated with autosomal recessive spondylocostal dysostosis 3.

[provided by RefSeq, May 2018]



Product images:



Circular map for RC224281L3