


Product datasheet for RC224310L1

NPAP1 (NM_018958) Human Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NPAP1 (NM_018958) Human Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	NPAP1
Synonyms:	C15orf2
Mammalian Cell Selection:	None
Vector:	pLenti-C-Myc-DDK (PS100064)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC224310).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:




* The last codon before the Stop codon of the ORF.

ACCN:	NM_018958
ORF Size:	3468 bp




OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_018958.1
RefSeq Size:	3471 bp
RefSeq ORF:	3471 bp
Locus ID:	23742
UniProt ID:	Q9NZP6
Cytogenetics:	15q11.2
MW:	120.8 kDa
Gene Summary:	This intronless retrogene is located in the Prader-Willi syndrome region on chromosome 15. This gene exhibits tissue-specific imprinting. Expression in adult testis and brain is biallelic, while expression in fetal brain is monoallelic and only from the paternal chromosome. The encoded protein is associated with the nuclear pore complex. [provided by RefSeq, Mar 2021]

Product images:



Circular map for RC224310L1



Double digestion of RC224310L1 using SgfI and MluI