

Product datasheet for RC224336L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Sumo 2 (SUMO2) (NM 006937) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Sumo 2 (SUMO2) (NM_006937) Human Tagged ORF Clone Lentiviral Particle

Symbol:

HSMT3; Smt3A; SMT3B; SMT3H2; SUMO3 Synonyms:

Mammalian Cell

Selection:

ACCN:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK NM 006937

ORF Size: 285 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC224336).

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of OTI Disclaimer:

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 006937.3

RefSeq Size: 1066 bp RefSeq ORF: 288 bp Locus ID: 6613 **UniProt ID:** P61956 Cytogenetics: 17q25.1

Domains: UBQ

Protein Families: Druggable Genome





MW: 10.7 kDa

Gene Summary:

This gene encodes a protein that is a member of the SUMO (small ubiquitin-like modifier) protein family. It functions in a manner similar to ubiquitin in that it is bound to target proteins as part of a post-translational modification system. However, unlike ubiquitin which targets proteins for degradation, this protein is involved in a variety of cellular processes, such as nuclear transport, transcriptional regulation, apoptosis, and protein stability. It is not active until the last two amino acids of the carboxy-terminus have been cleaved off. Numerous pseudogenes have been reported for this gene. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. [provided by RefSeq, Jul 2008]