

Product datasheet for **RC224388**

Ephrin A4 (EFNA4) (NM_005227) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ephrin A4 (EFNA4) (NM_005227) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Ephrin A4
Synonyms:	EFL4; EPLG4; LERK4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC224388 representing NM_005227 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGCGGCTGCTGCCCCTGCTGCGGACTGTCTCTGGGCCGCGTTCTCGGCTCCCCTCTGCGCGGGGGCT
CCAGCCTCCGCCACGTAGTCTACTGGAAGTCCAGTAACCCAGGTTGCTTCGAGGAGACGCCGTGGTGA
GCTGGGCTCAACGATTACCTAGACATTGTCTGCCCCACTACGAAGGCCAGGGCCCCCTGAGGGCCCC
GAGACGTTTGTGTACATGGTGGACTGGCCAGGCTATGAGTCCTGCCAGGCAGAGGGCCCCCGGGCT
ACAAGCGCTGGGTGTGCTCCCTGCCCTTTGGCCATGTTCAATTCTCAGAGAAGATTACAGCGCTTCACACC
CTTCTCCCTCGGCTTTGAGTTCTTACCTGGAGAGACTTACTACTACATCTCGGTGCCCACTCCAGAGAGT
TCTGGCCAGTGCTTGAGGCTCCAGGTGTCTGTCTGCTGCAAGGAGAGGAAGTCTGAGTCAGCCCATCCTG
TTGGGAGCCCTGGAGAGAGTGGCACATCAGGTGGCGAGGGGGGACACTCCAGCCCCCTCTGTCTCTT
GCTATTACTGCTGCTTCTGATTCTTCGTCTTCTGCAATTCTG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:	>RC224388 representing NM_005227 Red=Cloning site Green=Tags(s)
-------------------	--

MRLLPLLRTVLWAAFLGSPLRGSSLRHVYWNSSNPRLLRGDAVVELGLNDYLDIVCPHYEGPPEGP
ETFALYMVDWPGYESQAEGRPRAYKRWVCSLPFGHVQFSEKIQRFTPFSLGFELPGETYYIISVPTPES
SQQLRLQVSVCKKERKSESAPVGVSGESGTSWRRGDTSPCLLLLLLLLLILRLRLIL


TRTRPLEQKLISEEDLAANDILDYKDDDDKV


[View online »](#)

Chromatograms: https://cdn.origene.com/chromatograms/mg3516_a09.zip

Restriction Sites: Sgfl-MluI

Cloning Scheme:



ACCN: NM 005227

ORF Size: 603 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: [NM_005227.3](#)

RefSeq Size: 1276 bp

RefSeq ORF: 606 bp

Locus ID: 1945

UniProt ID: [P52798](#)

Cytogenetics: 1q21.3

Domains: Ephrin


Protein Families: Secreted Protein

Protein Pathways: Axon guidance


MW: 22.2 kDa

Gene Summary: This gene encodes a member of the ephrin (EPH) family. The ephrins and EPH-related receptors comprise the largest subfamily of receptor protein-tyrosine kinases and have been implicated in mediating developmental events, especially in the nervous system and in erythropoiesis. Based on their structures and sequence relationships, ephrins are divided into the ephrin-A (EFNA) class, which are anchored to the membrane by a glycosylphosphatidylinositol linkage, and the ephrin-B (EFNB) class, which are transmembrane proteins. This gene encodes an EFNA class ephrin. Three transcript variants that encode distinct proteins have been identified. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC224388



Western blot validation of overexpression lysate (Cat# [LY417433]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC224388 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).