

## Product datasheet for **RC224393**

### NFAT2 (NFATC1) (NM\_172389) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	NFAT2 (NFATC1) (NM_172389) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NFAT2
Synonyms:	NF-ATC; NF-ATc1.2; NFAT2; NFATc
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide  
Sequence:**

>RC224393 representing NM\_172389  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**GCGATCGCC**

ATGACGGGGCTGGAGGACCAGGAGTTCGACTTCGAGTTCCTCTTCGAGTTTAACACGCGCAGCAGAGGGCG  
 CCGCCGCGGCCGCCAGAACACTATGGCTATGCATCCTCCAAGTTCAGCCCCGCCCTGCCGCTCCCCAC  
 GGCGACTCCACCCTGCCGCGCCCGTGCACAACTTCAGACCTCCACACCGGGCATCATCCCGCCGGCG  
 GATCACCCCTCGGGGTACGGAGCAGCTTTGGACGGTGGGCCCGCGGGCTACTTCTCTCTCCGCCCACA  
 CCAGGCCTGATGGGGCCCTGCCCTGGAGAGTCTCGCATCGAGATAACCTCGTGCTTGGCCTGTACCA  
 CAACAATAACCAAGTTTTTCCACGATGTGGAGGTGGAAGACGTCTCCCTAGTCCAAACGGTCCCCTCC  
 ACGGCCACGTGAGTCTGCCAGCCTGGAGGCTACAGAGACCCCTCGTGCTGAGCCCCGCCAGCAGCC  
 TGTCTCCCGGAGCTGCAACTCAGAGGCTCTCTACGAGTCCAACACTCGTACCCGTACGCGTCCCC  
 CCAGAGCTCGCATGGCAGTCTCCCTGCGTGTCTCCAAGACCACGGACCCCGAGGAGGGCTTTCCCGC  
 GGGCTGGGGGCCCTGCACACTGCTGGGTTCCCGCGGCACTCCCCCTCCACCTCGCCCCGCCAGCGTCA  
 CTGAGGAGAGCTGGCTGGGTGCCGCTCCTCCAGACCCGCTCCCTTGAACAAGAGGAAGTACAGCCT  
 CAACGGCCGGCAGCCGCCCTACTCACCCACCCTCGCCACGCGCTCCCGCACGGCTCCCCGCGGGTC  
 AGCGTGACCGAGCAGCTCGTGGTGGGCAACACCACCCAGTACACCAGCTCGGCCATCGTGCCCGCATCA  
 ACGCGCTGACCACCGACAGCAGCCTGGACCTGGGAGATGGCGTCCCTGTCAAGTCCCAGAACACCCT  
 GGAGCAGCCGCCCTCAGTGGCGCTCAAGGTGGAGCCCTCGGGGAGGACCTGGGCAGCCCCCGCCCCG  
 GCCGACTTCGCGCCCGAAGACTACTCTCTTTCCAGCACATCAGGAAGGGCGGCTTCTGCGACCACTAC  
 TGGCGGTGCCGACACCCCTACCAGTGGCGAAGCCCAAGCCCTGTCCCTACGTCTACATGAGCCC  
 GACCCCTGCCCGCCCTGGACTGGCAGTGCCTCCACTCAGGCCGTATGAGCTTCGGATTGAGGTGCAG  
 CCCAAGTCCCACCACCGAGCCACTACGAGACGGAGGGCAGCCGGGGGGCCGTGAAGGCTCGGCCGGAG  
 GACACCCCATCGTGCAGCTGCATGGCTACTTGGAGAATGAGCCGCTGATGCTGCAGCTTTTCATTGGGAC  
 GGCGGACGACCGCCTGCTGCGCCCGCACGCTTCTACCAGGTGCACCGCATCACAGGGAAGACCGTGTCC  
 ACCACCAGCCACGAGGCCATCCTCTCAACACCAAAAGTCTGGAGATCCCACTCCTGCCGAGAACAGCA  
 TGCGAGCCGTCATTGACTGTGCCGAATCCTGAAACTCAGAACTCCGACATTGAACTTCGGAAAGGAGA  
 GACGGACATCGGAGGAAGAACACACGGGTACGGCTGGTGTCCGCGTTCAGTCCCAGAACCCAGCGGC  
 CGCAGCTGTCCCTGCAGGTGGCTCCAACCCATCGAATGCTCCAGCGCTCAGCTCAGGAGCTGCCTC  
 TGGTGGAGAAGCAGACAGCAGGACAGCTATCCGGTCTGGGCGGGAAGAAGATGGTCTGTCTGGCCACAA  
 CTTCTGCAGGACTCCAAGGTCAATTTTCGTGGAGAAAGCCCCAGATGGCCACCATGTCTGGGAGATGGAA  
 GCGAAAAGTACCGGGACCTGTGCAAGCCGAATTCCTGGTGGTTGAGATCCCGCCATTTTCGGAATCAGA  
 GGATAACCAGCCCCGTTACGTCAAGTTTCTACGTCTGCAACGGGAAGAGAAAGCGAAGCCAGTACCAGCG  
 TTTACCTACCTTCCCGCAACGTTCCAATTATAAAAACAGAACCCTGATGATTATGAGCCTGCTCCA  
 ACCTGTGGACCGGTGAGCCAGGGTTAAGTCTCTCCAAGACCATACTACAGCCAGCAGCTCGCGATGC  
 CACCCGACCCAGCTCCTGCCTCGTGGCCGGCTTCCCGCCTGTCCGAGAGAAGCACCCCTGATGCCAGC  
 GGCCCTGGCGTGAGCCCAAGCTCCACGACCTTCTCCGCTGCCTACACCAAGGGCGTTGCCAGCCCG  
 GGCCACTGTACCTCGGACTCCCGCAGCCGGCCGGAGAGGCCCCCGCCGTCCAGGACGTGCCAGGCCAG  
 TGCCACGCACCCCGGCTCGCCGGGCAGCCACCCCGGCCCTGCTGCCACAGCAG

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGATAAGGTTTAA


**Protein Sequence:** >RC224393 representing NM\_172389  
 Red=Cloning site Green=Tags(s)

```

MTGLEDQEFDFEFLFEFNQRDEGAAAAAPEHYGYASSNVSPALPLPTAHSTLPAPCHNLQTSTPGIIPPA
DHPSGYGAALDGGPAGYFLSSGHTRPDGAPALESPRIEITSCLGLYHNNNQFFHDVEVEDVLPSSKRSPS
TATLSLPSLEAYRDPSCSPASSLSSRSCNSEASSYESNYSYPYASPQTSPWQSPCVSPKTTDPEEGFPR
GLGACTLLGSPRHSPSTSPRASVTEESWLGARSSRPASPCNKRYSLNGRQPPYSPHHSPTSPHGSPPRV
SVTDDSWLGNTTQYTSSAIVAAINALTTDSSLDLGDGVPVKSRRKTTLEQPPSVALKVEPVGEDLGSPPPP
ADFAPEDYSSFQHIRKGGFCQYLAVPQHYPYQWAKPKPLSPTSYSMPTLPALDWQLPSHSGPYELRIEVQ
PKSHHRAHYETEGSRGAVKASAGGHPIVQLHGYLENEPLMLQLFIGTADDRLLRPHAFYQVHRITGKTVS
TTSHEAILSNTKVLEIPELLPENSRAVIDCAGILKLRNSDIELRKGETDIGRKNTRVRLVFRVHVPQPSG
RTLSLQVASNPICSQSAQELPLVEKQSTDSYPVVGKMMVLSGHNFLQDSKIVFEKAPDGHVWEME
AKTDRDLCKPNSLVVEIPFRNQRITSPVHVSFYVCGKRKRSQYQRFYLPANVPIIKTEPTDDYEPAP
TCGPVSQGLSPLPRPYYSQQLAMPPDPSSCLVAGFPCCPQRSTLMPAAGVSPKLDLSPAAYTKGVASP
GHCHLGLPQPAGEAPAVQDVPRPVATHPGSPGQPPPALLPQQ
  
```

SGPTRRRLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** SgfI-RsrII

**Cloning Scheme:**


**ACCN:** NM\_172389

**ORF Size:** 2436 bp


**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_172389.3</a>
<b>RefSeq Size:</b>	4336 bp
<b>RefSeq ORF:</b>	2439 bp
<b>Locus ID:</b>	4772
<b>UniProt ID:</b>	<a href="#">O95644</a>
<b>Cytogenetics:</b>	18q23
<b>Protein Families:</b>	Druggable Genome, Transcription Factors
<b>Protein Pathways:</b>	Axon guidance, B cell receptor signaling pathway, Natural killer cell mediated cytotoxicity, T cell receptor signaling pathway, VEGF signaling pathway, Wnt signaling pathway
<b>MW:</b>	87.7 kDa
<b>Gene Summary:</b>	<p>The product of this gene is a component of the nuclear factor of activated T cells DNA-binding transcription complex. This complex consists of at least two components: a preexisting cytosolic component that translocates to the nucleus upon T cell receptor (TCR) stimulation, and an inducible nuclear component. Proteins belonging to this family of transcription factors play a central role in inducible gene transcription during immune response. The product of this gene is an inducible nuclear component. It functions as a major molecular target for the immunosuppressive drugs such as cyclosporin A. Multiple alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene. Different isoforms of this protein may regulate inducible expression of different cytokine genes. [provided by RefSeq, Jul 2013]</p>

Product images:



Circular map for RC224393