

## Product datasheet for RC224422L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## RBM38 (NM\_017495) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** RBM38 (NM\_017495) Human Tagged ORF Clone Lentiviral Particle

Symbol: RBM38

Synonyms: dJ800J21.2; HSRNASEB; RNPC1; SEB4B; SEB4D

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_017495

ORF Size: 717 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC224422).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 017495.4

 RefSeq Size:
 2410 bp

 RefSeq ORF:
 720 bp

 Locus ID:
 55544

 UniProt ID:
 Q9H0Z9

 Cytogenetics:
 20q13.31

Domains: RRM

MW: 25.5 kDa







## **Gene Summary:**

RNA-binding protein that specifically bind the 3' UTR of CDKN1A transcripts, leading to maintain the stability of CDKN1A transcripts, thereby acting as a mediator of the p53/TP53 family to regulate CDKN1A. CDKN1A is a cyclin-dependent kinase inhibitor transcriptionally regulated by the p53/TP53 family to induce cell cycle arrest. Isoform 1, but not isoform 2, has the ability to induce cell cycle arrest in G1 and maintain the stability of CDKN1A transcripts induced by p53/TP53. Also acts as a mRNA splicing factor. Specifically regulates the expression of FGFR2-IIIb, an epithelial cell-specific isoform of FGFR2. Plays a role in myogenic differentiation.[UniProtKB/Swiss-Prot Function]