

Product datasheet for **RC224475L2V**

Neurofilament (NEFM) (NM_005382) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Neurofilament (NEFM) (NM_005382) Human Tagged ORF Clone Lentiviral Particle
Symbol:	NEFM
Synonyms:	NEF3; NF-M; NFM
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_005382
ORF Size:	2748 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC224475).
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	NM_005382.1
RefSeq Size:	3238 bp
RefSeq ORF:	2751 bp



[View online »](#)

Locus ID:	4741
UniProt ID:	P07197
Cytogenetics:	8p21.2
Domains:	filament, filament_head
Protein Pathways:	Amyotrophic lateral sclerosis (ALS)
MW:	102.3 kDa
Gene Summary:	Neurofilaments are type IV intermediate filament heteropolymers composed of light, medium, and heavy chains. Neurofilaments comprise the axoskeleton and functionally maintain neuronal caliber. They may also play a role in intracellular transport to axons and dendrites. This gene encodes the medium neurofilament protein. This protein is commonly used as a biomarker of neuronal damage. Alternative splicing results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Oct 2008]