

## Product datasheet for RC224487L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## P4HA3 (NM\_182904) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

Product Name: P4HA3 (NM 182904) Human Tagged ORF Clone Lentiviral Particle

Symbol: P4HA3

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_182904

**ORF Size:** 1632 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC224487).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** NM 182904.3

 RefSeq Size:
 2272 bp

 RefSeq ORF:
 1635 bp

 Locus ID:
 283208

 UniProt ID:
 Q7Z4N8

 Cytogenetics:
 11q13.4

Protein Families: Druggable Genome

**Protein Pathways:** Arginine and proline metabolism, Metabolic pathways

**MW:** 59.3 kDa







## **Gene Summary:**

This gene encodes a component of prolyl 4-hydroxylase, a key enzyme in collagen synthesis composed of two identical alpha subunits and two beta subunits. The encoded protein is one of several different types of alpha subunits and provides the major part of the catalytic site of the active enzyme. In collagen and related proteins, prolyl 4-hydroxylase catalyzes the formation of 4-hydroxyproline that is essential to the proper three-dimensional folding of newly synthesized procollagen chains. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2014]