

Product datasheet for RC224640L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GGA1 (NM 001001561) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: GGA1 (NM 001001561) Human Tagged ORF Clone Lentiviral Particle

Symbol:

Synonyms: ADP-ribosylation factor binding protein 1; gamma-adaptin related protein 1; golgi associated,

gamma adaptin ear containing, ARF binding protein 1; OTTHUMP00000028975;

OTTHUMP00000042200

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Myc-DDK Tag:

ACCN: NM_001001561

ORF Size: 267 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC224640).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 001001561.2, NP 001001561.1

RefSeg Size: 1714 bp RefSeq ORF: 270 bp Locus ID: 26088 **Cytogenetics:** 22q13.1

Protein Families: Druggable Genome

Protein Pathways: Lysosome





ORIGENE

MW:

10 kDa

Gene Summary:

This gene encodes a member of the Golgi-localized, gamma adaptin ear-containing, ARF-binding (GGA) protein family. Members of this family are ubiquitous coat proteins that regulate the trafficking of proteins between the trans-Golgi network and the lysosome. These proteins share an amino-terminal VHS domain which mediates sorting of the mannose 6-phosphate receptors at the trans-Golgi network. They also contain a carboxy-terminal region with homology to the ear domain of gamma-adaptins. Multiple alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]