OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for RC224745

PDE9A (NM_001001580) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PDE9A (NM_001001580) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PDE9A
Synonyms:	HSPDE9A2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

ORF Nucleotide Sequence:

>RC224745 representing NM_001001580
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGACCAACTGCCCCTGTAAGTACAGTTTTTTGGATAACCACAAGAAGTTGACTCCTCGACGCGATGTTC
CCACTTACCCCAAGTACCTGCTCTCTCCAGAGACCATCGAGGCCCTGCGGAAGCCGACCTTTGACGTCTG
GCTTTGGGAGCCCAATGAGATGCTGAGCTGCCTGGAGCACATGTACCACGACCTCGGGCTGGTCAGGGAC
TTCAGCATCAACCCTGTCACCCTCAGGAGGTGGCTGTTCTGCGTCCACGACAACTACAGAAACAACCCCT
TCCACAACTTCCGGCACTGCTTCTGCGTGGCCCAGATGATGTACAGCATGGTCTGGCTCTGCAGTCTCCA
GGAGAAGTTCTCACAAACGGATATCCTGATCCTAATGACAGCGGCCATCTGCCACGATCTGGACCATCCC
GGCTACAACAACACGTACCAGATCAATGCCCGCACAGAGCTGGCGGTCCGCTACAATGACATCTCACCGC
TGGAGAACCACCACTGCGCCGTGGCCTTCCAGATCCTCGCCGAGCCTGAGTGCAACATCTTCTCCAACAT
CCCACCTGATGGGTTCAAGCAGATCCGACAGGGAATGATCACATTAATCTTGGCCACTGACATGGCAAGA
CATGCAGAAATTATGGATTCTTTCAAAGAGAAAATGGAGAATTTTGACTACAGCAACGAGGAGCACATGA
CCCTGCTGAAGATGATTTTGATAAAATGCTGTGATATCTCTAACGAGGTCCGTCCAATGGAAGTCGCAGA
GCCTTGGGTGGACTGTTTATTAGAGGAATATTTTATGCAGAGCGACCGTGAGAAGTCAGAAGGCCTTCCT
GTGGCACCGTTCATGGACCGAGACAAAGTGACCAAGGCCACAGCCCAGATTGGGTTCATCAAGTTTGTCC
TGATCCCAATGTTTGAAACAGTGACCAAGCTCTTCCCCATGGTTGAGGAGATCATGCTGCAGCCACTTTG
GGAATCCCGAGATCGCTACGAGGAGCTGAAGCGGATAGATGACGCCATGAAAGAGTTACAGAAGAAGACT
GACAGCTTGACGTCTGGGGCCACCGAGAAGTCCAGAGAGAGAAGCAGAGATGTGAAAAACAGTGAAGGAG
ACTGTGCC

ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGA
TTACAAGGATGACGACGATAAGGTTTAA

View online »

Protein Sequence:

>RC224745 representing NM_001001580
Red=Cloning site Green=Tags(s)

MTNCPCKYSFLDNHKKLTPRRDVPTYPKYLLSPETIEALRKPTFDVWLWEPNEMLSCLEHMYHDLGLVRD
FSINPVTLRRWLFCVHDNYRNNPFHNFRHCFCVAQMMYSMVWLCSLQEKFSQTDILILMTAAICHDLDHP
GYNNTYQINARTELAVRYNDISPLENHHCAVAFQILAEPECNIFSNIPPDGFKQIRQGMITLILATDMAR
HAEIMDSFKEKMENFDYSNEEHMTLLKMILIKCCDISNEVRPMEVAEPWVDCLLEEYFMQSDREKSEGLP
VAPFMDRDKVTKATAQIGFIKFVLIPMFETVTKLFPMVEEIMLQPLWESRDRYEELKRIDDAMKELQKKT
DSLTSGATEKSRERSRDVKNSEGDCA

TRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8055_g02.zip

Restriction Sites: SgfI-NotI

Cloning Scheme:



ACCN: NM_001001580

ORF Size: 1128 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:
1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: NM_001001580.1, NP_001001580.1

RefSeq Size: 1590 bp

RefSeq ORF: 1131 bp

Locus ID: 5152

UniProt ID: O76083

Cytogenetics: 21q22.3

Protein Families: Druggable Genome

Protein Pathways: Progesterone-mediated oocyte maturation, Purine metabolism

MW: 44.1 kDa

Gene Summary: The protein encoded by this gene catalyzes the hydrolysis of cAMP and cGMP to their corresponding monophosphates. The encoded protein plays a role in signal transduction by regulating the intracellular concentration of these cyclic nucleotides. Multiple transcript variants encoding several different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC224745